

MADE IN GERMANY
SINCE 1785.

WITTE

TABLE OF CONTENTS

12 MAXX screwdrivers
Professional screwdrivers at a glance

14 MAXX
24 MAXX Plus
30 MAXX VDE
36 MAXX VDE Slim
40 MAXX voltage testers
44 MAXXPRO Stainless
48 MAXXPRO Nature
52 MAXXPRO Women Line

56 PRO screwdrivers
Universal screwdrivers at a glance

58 PRO
68 PRO Plus
72 PRO Impact
76 PRO VDE
80 PRO VDE Slim
84 PRO BITDRIVE®
88 PRO BITDRIVE® RATCHET
92 PRO BITDRIVE® TORQUE
96 PRO BITDRIVE® TORQUE VDE
100 PRO ESD
104 PRO voltage testers
108 PRO Nature
112 PRO T-bar
116 PRO WITTRON®
122 PRO WITTRON® VDE
126 PRO WITTRON® ESD
132 PRO Allen keys

140 MAXX pliers & cutters
Professional pliers & cutters at a glance

142 MAXX heavy-duty telephone engineer's plier
143 MAXX heavy-duty side-cutter
144 MAXX heavy-duty combination plier
146 MAXX VDE heavy-duty telephone eng. plier
147 MAXX VDE multifunction side-cutter
148 MAXX VDE heavy-duty side-cutter
149 MAXX VDE heavy-duty combination plier
150 MAXX VDE cable shear

152 PRO pliers & cutters
Universal pliers & cutters at a glance

154 PRO radio & telephone engineer's plier
155 PRO side-cutter
156 PRO combination plier
157 PRO water pump plier
158 PRO VDE radio & telephone eng. plier
159 PRO VDE combination plier
160 PRO VDE wire-stripper
161 PRO VDE side-cutter

162 MAXX bits
Professional bits at a glance

164 MAXX Impact
170 MAXX Stainless
174 MAXX Extra hard
176 MAXX TIN
184 MAXX Diamond

188 PRO bits
Industrial bits at a glance

190 PRO bits
202 PRO bitholders

208 BITCOMMANDER
The all-rounder

210 Gift boxes

214 Soft case sets
Just in case

222 POS displays and accessories

Overview
of indexes

4 About WITTE
230 Product index
234 Key word index
236 Fastener assignment
239 Profile finder

20 Picks & hooks
20 MAXX bottle-opener
50 MAXXPRO cork bottle-opener
63 PRO bottle-opener

© KIRCHHOFF Witte GmbH · Feldmühlenstr. 51 · 58093 Hagen · Germany
info@wittetools.com · wittetools.com

The KIRCHHOFF Group.

The KIRCHHOFF Group has its roots in the enterprise founded by Stephan Witte in 1785 for the manufacture of needles and pins in Iserlohn, Germany. Today's KIRCHHOFF Group, owned by the Kirchhoff family for four generations, consists of four divisions: KIRCHHOFF Automotive, KIRCHHOFF Ecotec, KIRCHHOFF Mobility and WITTE Tools. KNOWLEDGE.VALUES.CHANGE. – these are the fundamental principles that are also the motive force behind the rise and further development of the Group. They unite the more than 13,000 employees in the Group in line with our mission statement: WE.MOVE.FUTURE.

KIRCHHOFF GROUP



The owners of the KIRCHHOFF Group
(l. to r.):
Dr Johannes F. Kirchhoff,
J. Wolfgang Kirchhoff, Arndt G. Kirchhoff

WITTE TOOLS

WITTE Tools continues to be rated as one of Germany's leading manufacturers of premium handtools. The WITTE brand name is a byword for high-grade screwdrivers, bits, pliers and cutters that are supplied worldwide to partners in industry & the trades and specialist distributors.

KIRCHHOFF AUTOMOTIVE

KIRCHHOFF Automotive is a respected development partner of the automotive industry and focuses on complex metal and hybrid structures for bodywork and chassis. We are available worldwide as a full-service supplier.

KIRCHHOFF ECOTEC

KIRCHHOFF Ecotec is the European market leader for waste collection vehicles, street sweepers, and lifters. This division was the first manufacturer to produce a fully integrated hybrid waste collection vehicle.


KIRCHHOFF MOBILITY

KIRCHHOFF Mobility is one of the leading suppliers of individual vehicle conversions to enable people with disabilities to be more mobile and independent.

It all started with a needle

Back in 1785, WITTE started manufacturing needles for textile applications, saddlers and shoemakers. Soon, they were supplying customers worldwide. With production standing at 10 million pins and needles per year at the beginning of the 19th century, by the middle of that century, this expanding family concern was manufacturing two million per day with its staff of 1200 and was a leading producer in its field.

MADE IN GERMANY
SINCE 1785.




The sophisticated art of the screwdriver

As mechanisation threatened to an increasing extent to replace tailors, saddlers and shoemakers, WITTE had already made itself a name as a manufacturer of tools for the nascent automotive and wagon manufacturing industries. During this period, the company developed the product that has continued to form the main basis of its success right up to today: the screwdriver. Since that initial period, WITTE has continuously perfected that tool like no other manufacturer – with the aid of unrelenting innovation, maximum attention to ergonomic design and materials and, of course, peak quality made in Germany.

Quality from Germany.

German engineering skills and craftsmanship have been recognised the world over for many a year. Long before the "Made in Germany" slogan underlined the fact, WITTE was renowned for its core values such as innovation, accuracy and reliability that are central to Germany. These are virtues that we uphold to the same extent as our commitment to Germany as a manufacturing location – both these aspects are indispensable parts of our identity and quality philosophy.

MADE IN GERMANY
SINCE 1785.




Tools with tradition.

Witte is located right at the heart of the European tool-producing region: on the edges of the Bergisch Land, which is the region that is famous for the centuries-old tradition of wire processing and tool manufacture and still today a pacesetter in the worldwide tool market. WITTE is dedicated to maintaining that heritage.

PRO

PRO tools by WITTE will make any professional user's heart beat that little bit faster because those tools are, without doubt, among the best the market has to offer. The quality series for daily professional use stands out because of its ergonomically designed handles: the sculpted longitudinal contour optimises contact pressure and promotes strain-free working. The screwdriver handles are made up of three plastic components and ensure excellent grip.





Sophisticated
The central section of the PRO screwdriver handle – the spin zone – is shaped using a well-rounded triangular form. This enables the user to apply optimum force transmission, which reduces the amount of effort required to do the job. Fast screw tightening and unscrewing are facilitated by the extended multifunction zone.



Robust
WITTE PRO bits offer consistently high quality standards due to our state-of-the-art production systems. The complex hardening process guarantees permanent hardness of 59–61 HRC to meet tough requirements in industry and the trades.




High-grade
Additionally induction hardened cutters, ergonomically designed 2-component handles and high-quality materials are notable features of the WITTE PRO series of pliers and cutters.

MAXX

Standard
PRO
MAXX

MAXX tools – the ideal tools for professionals – when the best is just good enough.
The design of the MAXX tightening tools and MAXX pliers & cutters is based on the latest research techniques in the field of occupational science, ergonomic design and material science. Shape, hand-picked materials, ergonomic design, workmanship and physics all combine here to make a perfect tool. The result is that, if only minimum force is applied, MAXX tools can transmit the highest possible force more effectively. In any situation.





Forceful
Ergonomics in its purest form is a feature of the MAXX range. The characteristic triangular shape of MAXX screwdriver grips provides not only the ergonomically ideal torque angle of 120°, these are also the only screwdrivers on the market in which the shape of the grip is not merely "zoomed" to produce the various sizes. Each MAXX screwdriver from WITTE boasts the ideal grip size that is specially developed as the correct ergonomic design for optimum force transmission.



Durable
Thoroughly hardened and tempered materials enhance not only the appearance of the tool but also its functionality. At the same time, they guarantee extremely long service lifetimes and ensure user satisfaction while they work. Quality that pays for itself.



Uncompromising
The outstanding craftsmanship used in every detail coupled with the highest grade materials dispels any doubts that, thanks to their specially constructed high-performance joints, S-shaped handles with multicomponent grips and additionally induction hardened cutters, the WITTE MAXX series of pliers and cutters are a byword for perfect ergonomic design, firm-grip materials, optimised force transmission and long service lifetimes.

On the following pages, you will be able to see which family of tools you are currently looking at due to the colour coding: dark blue stands for **MAXX**, cyan for **PRO**.


MAXX

Screwdrivers



12 Screwdrivers

Professional screwdrivers at a glance

14	MAXX	
24	MAXX Plus	
30	MAXX VDE	
36	MAXX VDE Slim	
40	MAXX voltage testers	
44	MAXXPRO Stainless	
48	MAXXPRO Nature	
52	MAXXPRO Women Line	


MAXX

Certified by the IGR as an "ergonomic product".
WITTE MAXX screwdrivers have been extensively tested by the independent IGR Institute for Health and Ergonomics with regard to usability and ergonomics and have been successfully certified to DIN 33419 / EN ISO 15537.

Permanent blade identification
Durable marking on the blade ensures fast, accurate choice of the right screwdriver

Multifunction zone
The extended multifunction zone allows faster screw tightening and unscrewing

Convenient hanging hole
For best organisation in the workshop




Black tip
Accurately finished tips provide peak protection against corrosion and guarantee accuracy and correct fit

High-grade steel that is made in Germany
Hardened and tempered, extremely tough special steel guarantees optimum force transmission and long service lives

Soft component
Enhance grip and provide better control of the tightening action

Ergonomically shaped triangular form
Perfect ergonomic design for maximum force transmission


Demanding craftsmen and craftswomen need tools that do not make compromises: **MAXX**. The sculpted longitudinal contour of the ergonomically designed grips allows high axial forces to be applied to the screw without excessive effort. This generates high contact pressure while effectively preventing cam-out. The soft component on the edges of the grip supports a snug fit and helps to generate maximum torque.



Exclusively available from WITTE: four handle sizes and shapes to match each size of screw head. Our grips are not merely “pinch zoomed” for the next size but individually shaped for the correct contour, centre of gravity and form.

The lower the required torque, the more round the grip cross-section to enable faster, accurate turns. The greater the required torque, the larger the grip, so it lies snugly in the hand and guarantees safe, accurate application of force.

The benefits
- Tried-and-tested three-sided shape corresponds to the hand’s ideal tightening angle (120°)
- The spin zone made of softer material makes working with the tool faster and more satisfying
- Matt chrome-plated, permanently marked blades made of hardened and tempered special steel in all profiles
- Black tips guarantee peak accuracy and correct fit



Round cross-section
combines maximum grip and easy turning action

Rounded triangular form
for maximum force transmission

Permanent head marking
Durable, clearly read marking on the blade ensures fast, accurate choice of the right screwdriver

53100 slotted keystone / engineer's screwdrivers

to DIN 5264 and ISO 2380



ITEM NO.	mm	mm	∅ mm	mm
53101	0.6 x 3.5	75	3.5	103 x 23
53102	0.6 x 3.5	100	3.5	103 x 23
53103	0.8 x 4.0	75	4.0	103 x 23
53104	0.8 x 4.0	100	4.0	103 x 23
53105	1.0 x 5.5	100	5.0	107 x 32
53106	1.0 x 5.5	125	5.0	107 x 32

ITEM NO.	mm	mm	∅ mm	mm
53107	1.2 x 6.5	125	6.0	117 x 37
53108	1.2 x 6.5	150	6.0	117 x 37
53109	1.2 x 8.0	150	7.0	127 x 39
53110	1.6 x 8.0	175	7.0	127 x 39
53111	1.6 x 10.0	200	8.0	127 x 39

53010 slotted keystone / engineer's screwdrivers

to DIN 5264 and ISO 2380, hexagonal blade and bolster dimensionally accurate to DIN 475




ITEM NO.	mm	mm	⬢	⬢ shank	mm
53010	0.8 x 4.0	100	8.0	5.0	107 x 32
53011	1.0 x 5.5	125	8.0	5.0	107 x 32
53012	1.2 x 6.5	150	10.0	6.0	117 x 37
53013	1.2 x 8.0	175	13.0	8.0	127 x 39

ITEM NO.	mm	mm	⬢	⬢ shank	mm
53014	1.6 x 10.0	200	13.0	8.0	127 x 39
53015	2.0 x 12.0	225	–	10.0	127 x 39
53016	2.5 x 14.0	275	–	10.0	127 x 39

53020 slotted cabinet / electrician's screwdrivers

to DIN 5264 and ISO 2380



ITEM NO.	mm	mm	∅ mm	mm
53021	0.5 x 3.0	75	3.0	103 x 23
53022	0.6 x 3.5	100	3.5	103 x 23
53023	0.6 x 4.0	300	4.0	103 x 23
53024	0.8 x 4.0	125	4.0	103 x 23
53025	1.0 x 5.5	150	5.5	107 x 32
53026	1.0 x 5.5	200	5.5	107 x 32
53027	1.0 x 5.5	300	5.5	107 x 32

53030 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws



ITEM NO.	⊕	mm	∅ mm	mm
53031	PH 0	60	3.0	103 x 23
53032	PH 1	80	4.5	107 x 32
53034	PH 1	300	4.5	107 x 32
53035	PH 2	100	6.0	117 x 37
53033	PH 2	150	6.0	117 x 37

ITEM NO.	⊕	mm	∅ mm	mm
53036	PH 2	200	6.0	117 x 37
53037	PH 2	300	6.0	117 x 37
53038	PH 3	150	8.0	127 x 39
53039	PH 4	200	10.0	127 x 39

53500 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws, hexagonal blade and bolster dimensionally accurate to DIN 475



ITEM NO.	⊕	mm	⬢	⬢ shank	mm
53501	PH 1	105	8.0	5.0	107 x 32
53502	PH 2	125	10.0	6.0	117 x 37
53503	PH 3	175	13.0	8.0	127 x 39

53040 PZ screwdrivers

to ISO 8764 for POZIDRIV screws



ITEM NO.	⊕	mm	∅ mm	mm
53041	PZ 0	60	3.0	103 x 23
53042	PZ 1	80	4.5	107 x 32
53044	PZ 1	300	4.5	107 x 32
53045	PZ 2	100	6.0	117 x 37

ITEM NO.	⊕	mm	∅ mm	mm
53047	PZ 2	300	6.0	117 x 37
53048	PZ 3	150	8.0	127 x 39
53049	PZ 4	200	10.0	127 x 39

53600 PZ screwdrivers

to ISO 8764 for POZIDRIV screws, hexagonal blade and bolster dimensionally accurate to DIN 475



ITEM NO.	⊕	mm	⬢	⬢ shank	mm
53601	PZ 1	105	8.0	5.0	107 x 32
53602	PZ 2	125	10.0	6.0	117 x 37
53603	PZ 3	175	13.0	8.0	127 x 39

53200 TORX® screwdrivers



ITEM NO.	✪	mm	∅ mm	mm
53201	T 5	60	3.0	103 x 23
53202	T 6	60	3.0	103 x 23
53203	T 7	60	3.0	103 x 23
53204	T 8	60	3.0	103 x 23
53205	T 9	60	3.0	103 x 23
53206	T 10	80	3.5	103 x 23
53207	T 15	80	3.5	103 x 23

ITEM NO.	✪	mm	∅ mm	mm
53208	T 20	100	4.5	107 x 32
53209	T 25	100	4.5	107 x 32
53210	T 27	115	6.0	117 x 37
53211	T 30	115	6.0	117 x 37
53212	T 40	115	7.0	127 x 39
53213	T 45	130	8.0	127 x 39


53300 TORX® screwdrivers
with central bore, TR tamper resistant



ITREM NO.		mm	∅ mm	mm
53303	TR 7	60	3.0	103 x 23
53304	TR 8	60	3.0	103 x 23
53305	TR 9	60	3.0	103 x 23
53306	TR 10	80	3.5	103 x 23
53307	TR 15	80	3.5	103 x 23
53308	TR 20	100	4.5	107 x 32

ITREM NO.		mm	∅ mm	mm
53309	TR 25	100	4,5	107 x 32
53310	TR 27	115	6,0	117 x 37
53311	TR 30	115	6,0	117 x 37
53312	TR 40	115	7,0	127 x 39
53313	TR 45	130	8,0	127 x 39

53050 ball-end hex screwdrivers



ITEM NO.		mm	mm
53051	3.0	100	103 x 23
53052	4.0	100	103 x 23
53053	5.0	100	107 x 32
53054	6.0	125	117 x 37
53055	8.0	150	127 x 39

53060 square drive screwdrivers
for Robertson screws



ITEM NO.		mm	∅ mm	mm
53061	1.0	100	4.5	107 x 32
53062	2.0	125	5.0	107 x 32
53063	3.0	150	6.0	117 x 37

53070 TRI-WING screwdrivers



ITEM NO.		mm	mm
53071	TW 2	80	107 x 32
53072	TW 3	100	107 x 32
53073	TW 4	100	107 x 32
53074	TW 5	100	107 x 32

53400 nutdrivers



ITEM NO.		mm	mm
53401	3.5	125	107 x 32
53402	4.0	125	107 x 32
53403	4.5	125	107 x 32
53404	5.0	125	107 x 32
53405	5.5	125	107 x 32

ITEM NO.		mm	mm
53406	6.0	125	117 x 37
53407	7.0	125	117 x 37
53408	8.0	125	117 x 37
53409	9.0	125	117 x 37
53410	10.0	125	117 x 37

ITEM NO.		mm	mm
53411	11.0	125	127 x 39
53412	12.0	125	127 x 39
53413	13.0	125	127 x 39
53414	14.0	125	127 x 39
53415	17.0	125	127 x 39


53080 nutdrivers
with flexible shank



ITEM NO.		mm	mm
53081	5.0	210	117 x 37
53082	5.5	210	117 x 37
53083	6.0	210	117 x 37

ITEM NO.		mm	mm
53084	7.0	210	117 x 37
53085	8.0	210	117 x 37
53086	1/4"	210	117 x 37

53091 bitholder
with 150 mm blade and permanent magnet



ITEM NO.		mm	mm
53091	1/4"	150	117 x 37

86990 slotted stubby screwdriver



ITEM NO.	mm	mm	∅ mm	mm
86991	0.8 x 4.5	25	4.5	55 x 29
86992	1.0 x 6.0	25	6.0	55 x 29

ITEM NO.	mm	mm	∅ mm	mm
86993	1.2 x 8.0	25	8.0	55 x 29

94260 PH stubby screwdriver
to ISO 8764 for PHILLIPS recess screws



ITEM NO.		mm	∅ mm	mm
94261	PH 1	25	4.5	55 x 29
94262	PH 2	25	6.0	55 x 29

95350 PZ stubby screwdriver

to ISO 8764 for POZIDRIV screws



ITEM NO.	⊕	mm	∅ mm	mm
95351	PZ 1	25	4.5	55 x 29
95352	PZ 2	25	6.0	55 x 29

967 bottle-opener



ITEM NO.	mm	mm
967	43	117 x 37

53622 awl



ITEM NO.	mm	∅ mm	mm
53622	100	6.0	117 x 37

53832 square reamer



ITEM NO.	mm	∅ mm	mm
53832	100	6.0	117 x 37

691008 set of picks & hooks in a wallet, 4-pcs. set



ITEM NO.	mm	∅ mm	mm
691008	70	3.5	103 x 23

Sets of screwdrivers



Market-orientated tool sets
Exactly what customers want. Compiled through many years' observation of practical applications.

6-pcs. set
Order no. 653754

ITEM NO.	Drive	mm	mm
53105		1.0 x 5.5	100
53107		1.2 x 6.5	125
53032		PH 1	80
53035		PH 2	100
53042		PZ 1	80
53045		PZ 2	100

6-pcs. set
Order no. 653832

ITEM NO.	Drive	mm	mm
53021		0.5 x 3.0	75
53104		0.8 x 4.0	100
53106		1.0 x 5.5	125
53108		1.2 x 6.5	150
53032		PH 1	80
53035		PH 2	100

6-pcs. set
Order no. 653833

ITEM NO.	Drive	mm	mm
53021		0.5 x 3.0	75
53104		0.8 x 4.0	100
53106		1.0 x 5.5	125
53108		1.2 x 6.5	150
53042		PZ 1	80
53045		PZ 2	100

6-pcs. set
Order no. 653864

ITEM NO.	Drive	mm	mm
53103		0.8 x 4.0	75
53105		1.0 x 5.5	100
53107		1.2 x 6.5	125
53109		1.2 x 8.0	150
53032		PH 1	80
53035		PH 2	100

6-pcs. set
Order no. 653863

ITEM NO.	Drive	mm	mm
53103		0.8 x 4.0	75
53105		1.0 x 5.5	100
53107		1.2 x 6.5	125
53109		1.2 x 8.0	150
53042		PZ 1	80
53045		PZ 2	100

6-pcs. set
Order no. 653867

ITEM NO.	Drive	mm	⬢	mm
53010		0.8 x 4.0		100
53011		1.0 x 5.5	8	125
53012		1.2 x 6.5	10	150
53013		1.2 x 8.0	13	175
53501		PH 1		105
53502		PH 2		125

6-pcs. set
Order no. 653868

ITEM NO.	Drive	mm	⬢	mm
53010		0.8 x 4.0		100
53011		1.0 x 5.5	8	125
53012		1.2 x 6.5	10	150
53013		1.2 x 8.0	13	175
53601		PZ 1		105
53602		PZ 2		125

6-pcs. set
Order no. 653980

ITEM NO.	Drive	mm	mm
53206		T 10	80
53207		T 15	80
53208		T 20	100
53209		T 25	100
53211		T 30	115
53212		T 40	115

6-pcs. set
Order no. 653726

ITREM NO.	Drive	mm	mm
53306		TR 10	80
53307		TR 15	80
53308		TR 20	100
53309		TR 25	100
53311		TR 30	115
53312		TR 40	115

5-pcs. set
Order no. 653865

ITEM NO.	Drive	mm	mm
53103		0.8 x 4.0	75
53105		1.0 x 5.5	100
53107		1.2 x 6.5	125
53032		PH 1	80
53035		PH 2	100

5-pcs. set
Order no. 653866


ITEM NO.	Drive	mm	mm
53103		0.8 x 4.0	75
53105		1.0 x 5.5	100
53107		1.2 x 6.5	125
53042		PZ 1	80
53045		PZ 2	100

MAXX Plus



tested and recommended by
ergonomic product
IGR Institut für Gesundheit und Ergonomie
www.igr-ev.de

Certified as ergonomic.
Tested by the independent IGR Institute for Health and Ergonomics



Patented, non-slip microfibre coating
Guarantees better grip and less slippage even with oily or moist hands

Whenever work is required in moist or oily environments, the quality of the tools really counts. And that applies particularly to tightening tools that offer a firm grip in tough conditions, protect the worker's hands against slipping off and transfer force in the most efficient way.

MAXX Plus screwdrivers are designed to excel in these conditions – from the microfibre coating and firm-grip soft handle components to effective protection against rolling.

63100 slotted keystone / engineer's screwdrivers

to DIN 5264 and ISO 2380



ITEM NO.	mm	mm	∅ mm	mm	ITEM NO.	mm	mm	∅ mm	mm
63101	0.6 x 3.5	75	3.5	103 x 23	63107	1.2 x 6.5	125	6.0	117 x 37
63102	0.6 x 3.5	100	3.5	103 x 23	63108	1.2 x 6.5	150	6.0	117 x 37
63103	0.8 x 4.0	75	4.0	103 x 23	63109	1.2 x 8.0	150	7.0	127 x 39
63104	0.8 x 4.0	100	4.0	103 x 23	63110	1.6 x 8.0	175	7.0	127 x 39
63105	1.0 x 5.5	100	5.0	107 x 32	63111	1.6 x 10.0	200	8.0	127 x 39
63106	1.0 x 5.5	125	5.0	107 x 32	63115	2.0 x 12.0	225	10.0	127 x 39

63010 slotted keystone / engineer's screwdrivers

to DIN 5264 and ISO 2380, hexagonal blade and bolster dimensionally accurate to DIN 475



ITEM NO.	mm	mm	⬢	⬢ Klinge	mm
63011	1.0 x 5.5	125	8.0	5.0	107 x 32
63012	1.2 x 6.5	150	10.0	6.0	117 x 37
63013	1.2 x 8.0	175	13.0	8.0	127 x 39
63014	1.6 x 10.0	200	13.0	8.0	127 x 39
63015	2.0 x 12.0	225		10.0	127 x 39

63020 slotted cabinet / electrician's screwdrivers

to DIN 5264 and ISO 2380



ITEM NO.	mm	mm	∅ mm	mm	ITEM NO.	mm	mm	∅ mm	mm
63021	0.5 x 3.0	75	3.0	103 x 23	63025	1.0 x 5.5	150	5.5	107 x 32
63022	0.6 x 3.5	100	3.5	103 x 23	63026	1.0 x 5.5	200	5.5	107 x 32
63023	0.6 x 4.0	300	4.0	103 x 23	63027	1.0 x 5.5	300	5.5	107 x 32
63024	0.8 x 4.0	125	4.0	103 x 23					

63030 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws



ITEM NO.	⊕	mm	∅ mm	mm	ITEM NO.	⊕	mm	∅ mm	mm
63031	PH 0	60	3.0	103 x 23	63037	PH 2	300	6.0	117 x 37
63032	PH 1	80	4.5	107 x 32	63038	PH 3	150	8.0	127 x 39
63034	PH 1	300	4.5	107 x 32	63039	PH 4	200	10.0	127 x 39
63035	PH 2	100	6.0	117 x 37					

63500 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws, hexagonal blade and bolster dimensionally accurate to DIN 475



ITEM NO.	⊕	mm	⬢	⬢ shank	mm
63501	PH 1	105	8.0	5.0	107 x 32
63502	PH 2	125	10.0	6.0	117 x 37
63503	PH 3	175	13.0	8.0	127 x 39

63040 PZ screwdrivers

to ISO 8764 for POZIDRIV screws



ITEM NO.	⊕	mm	∅ mm	mm	ITEM NO.	⊕	mm	∅ mm	mm
63041	PZ 0	60	3.0	103 x 23	63047	PZ 2	300	6.0	117 x 37
63042	PZ 1	80	4.5	107 x 32	63048	PZ 3	150	8.0	127 x 39
63044	PZ 1	300	4.5	107 x 32	63049	PZ 4	200	10.0	127 x 39
63045	PZ 2	100	6.0	117 x 37					

63600 PZ screwdrivers

to ISO 8764 for POZIDRIV screws, hexagonal blade and bolster dimensionally accurate to DIN 475



ITEM NO.	⊕	mm	⬢	⬢ shank	mm
63601	PZ 1	105	8.0	5.0	107 x 32
63602	PZ 2	125	10.0	6.0	117 x 37
63603	PZ 3	175	13.0	8.0	127 x 39

63200 TORX® screwdrivers



ITEM NO.	✪	mm	∅ mm	mm	ITEM NO.	✪	mm	∅ mm	mm
63201	T 5	60	3.0	103 x 23	63208	T 20	100	4.5	107 x 32
63202	T 6	60	3.0	103 x 23	63209	T 25	100	4.5	107 x 32
63203	T 7	60	3.0	103 x 23	63210	T 27	115	6.0	117 x 37
63204	T 8	60	3.0	103 x 23	63211	T 30	115	6.0	117 x 37
63205	T 9	60	3.0	103 x 23	63212	T 40	115	7.0	127 x 39
63206	T 10	80	3.5	103 x 23	63213	T 45	130	8.0	127 x 39
63207	T 15	80	3.5	103 x 23					

63300 TORX® screwdrivers
with central bore, tamper resistant



ITREM NO.		mm	∅ mm	mm	ITREM NO.		mm	∅ mm	mm
63303	TR 7	60	3.0	103 x 23	63309	TR 25	100	4.5	107 x 32
63304	TR 8	60	3.0	103 x 23	63310	TR 27	115	6.0	117 x 37
63305	TR 9	60	3.0	103 x 23	63311	TR 30	115	6.0	117 x 37
63306	TR 10	80	3.5	103 x 23	63312	TR 40	115	7.0	127 x 39
63307	TR 15	80	3.5	103 x 23	63313	TR 45	130	8.0	127 x 39
63308	TR 20	100	4.5	107 x 32					

63050 ball-end hex screwdrivers



ITEM NO.		mm	mm	ITEM NO.		mm	mm
63051	3.0	100	103 x 23	63054	6	125	117 x 37
63052	4.0	100	103 x 23	63055	8	150	127 x 39
63053	5.0	100	107 x 32				

63060 Square drive screwdrivers
for Robertson screws



ITEM NO.		mm	∅ mm	mm
63061	1.0	100	4.5	107 x 32
63062	2.0	125	5.0	107 x 32
63063	3.0	150	6.0	117 x 37

63400 nutdrivers



ITEM NO.		mm	mm	ITEM NO.		mm	mm
63401	3.5	125	107 x 32	63409	9.0	125	117 x 37
63402	4.0	125	107 x 32	63410	10.0	125	117 x 37
63403	4.5	125	107 x 32	63411	11.0	125	127 x 39
63404	5.0	125	107 x 32	63412	12.0	125	127 x 39
63405	5.5	125	107 x 32	63413	13.0	125	127 x 39
63406	6.0	125	117 x 37	63414	14.0	125	127 x 39
63407	7.0	125	117 x 37	63415	17.0	125	127 x 39
63408	8.0	125	117 x 37	63091	1/4"	150	117 x 37

63080 nutdrivers
with flexible shank



ITEM NO.		mm	mm	ITEM NO.		mm	mm
63081	5.0	210	117 x 37	63084	7.0	210	117 x 37
63082	5.5	210	117 x 37	63085	8.0	210	117 x 37
63083	6.0	210	117 x 37	63086	1/4"	210	117 x 37

Sets of screwdrivers

6-pcs. set
Order no. 663864

ITEM NO.	Drive	mm	mm
63103		0.8 x 4.0	75
63105		1.0 x 5.5	100
63107		1.2 x 6.5	125
63109		1.2 x 8.0	150
63032		PH 1	80
63035		PH 2	100

6-pcs. set
Order no. 663863

ITEM NO.	Drive	mm	mm
63103		0.8 x 4.0	75
63105		1.0 x 5.5	100
63107		1.2 x 6.5	125
63109		1.2 x 8.0	150
63042		PZ 1	80
63045		PZ 2	100

6-pcs. set
Order no. 663870

ITEM NO.	Drive	mm		mm
63011		1.0 x 5.5	8	125
63012		1.2 x 6.5	10	150
63013		1.2 x 8.0	13	175
63501		PH 1	6	105
63502		PH 2	10	125
63503		PH 3	13	175

6-pcs. set
Order no. 663980

ITEM NO.	Drive		mm
63206		T 10	80
63207		T 15	80
63208		T 20	100
63209		T 25	100
63211		T 30	115
63212		T 40	115

6-pcs. set
Order no. 663723

ITREM NO.	Drive		mm
63306		TR 10	80
63307		TR 15	80
63308		TR 20	100
63309		TR 25	100
63311		TR 30	115
63312		TR 40	115

5-pcs. set
Order no. 663865

ITEM NO.	Drive	mm	mm
63103		0.8 x 4.0	75
63105		1.0 x 5.5	100
63107		1.2 x 6.5	125
63032		PH 1	80
63035		PH 2	100

5-pcs. set
Order no. 663866

ITEM NO.	Drive	mm	mm
63103		0.8 x 4.0	75
63105		1.0 x 5.5	100
63107		1.2 x 6.5	125
63042		PZ 1	80
63045		PZ 2	100




MAXX VDE



tested and recommended by
ergonomic product
IGR Institut für Gesundheit und Ergonomie
www.igr-ev.de

Certified as ergonomic.
Tested by the independent IGR Institute for Health and Ergonomics



Insulated blade to DIN ISO EN 60900
For safe working up to 1000 volts. Every single VDE screwdriver is individually tested for compliance with VDE regulations before it is dispatched.

Best grip and outstanding ergonomic design guarantee excellent force transmission. Together with first-rate tips, this adds up to peak accuracy at the point of contact with the screw – even at voltages up to 1000 volts, because every individual screwdriver is tested in a dip-tank up to 10,000 volts in accordance with VDE requirements.

53700 slotted screwdrivers
to ISO 2380



ITEM NO.	mm	mm	∅ mm	mm	ITEM NO.	mm	mm	∅ mm	mm
53701	0.4 x 2.5	75	2.5	103 x 23	53705	1.0 x 5.5	125	5.5	107 x 32
53702	0.5 x 3.0	100	3.0	103 x 23	53706	1.2 x 6.5	150	6.5	117 x 37
53703	0.6 x 3.5	100	3.5	103 x 23	53707	1.2 x 8.0	175	8.0	127 x 39
53704	0.8 x 4.0	100	4.0	107 x 32	53708	1.6 x 10.0	200	10.0	127 x 39

53710 PH screwdrivers
tip to ISO 8764 for PHILLIPS recess screws



ITEM NO.		mm	∅ mm	mm	ITEM NO.		mm	∅ mm	mm
53710	PH 0	60	3.0	103 x 23	53713	PH 3	150	8.0	127 x 39
53711	PH 1	80	4.5	107 x 32	53714	PH 4	200	10.0	127 x 39
53712	PH 2	100	6.0	117 x 37					

53740 MODUL PH screwdrivers
for +/- screws in electrical installations



ITEM NO.		mm	∅ mm	mm	ITEM NO.		mm	∅ mm	mm
53741	PH 1 / MODUL	80	4.5	107 x 32	53742	PH 2 / MODUL	100	6.0	117 x 37

53720 PZ screwdrivers
tip to ISO 8764 for POZIDRIV screws



ITEM NO.		mm	∅ mm	mm	ITEM NO.		mm	∅ mm	mm
53720	PZ 0	60	3.0	103 x 23	53723	PZ 3	150	8.0	127 x 39
53721	PZ 1	80	4.5	107 x 32	53724	PZ 4	200	10.0	127 x 39
53722	PZ 2	100	6.0	117 x 37					

53760 MODUL PZ screwdrivers
for +/- screws in electrical installations



ITEM NO.		mm	∅ mm	mm
53761	PZ 1 / MODUL	80	4.5	107 x 32
53762	PZ 2 / MODUL	100	6.0	117 x 37

53730 TORX® screwdrivers



ITEM NO.		mm	∅ mm	mm		ITEM NO.		mm	∅ mm	mm	
53731	T 10	60	3.0	103 x 23	M 3.0	53735	T 30	100	6.0	117 x 37	M 6.0
53732	T 15	75	3.5	103 x 23	M 3.5	53736	T 40	150	8.0	127 x 39	M 8.0
53733	T 20	100	4.0	107 x 32	M 4.0	53737	T 45	150	8.0	127 x 39	M 8.0-10.0
53734	T 25	100	4.5	107 x 32	M 5.0						

53750 nutdrivers



ITEM NO.		mm	∅ mm	mm	ITEM NO.		mm	∅ mm	mm
53750	6	125	5.0	117 x 37	53754	10	125	6.0	117 x 37
53751	7	125	6.0	117 x 37	53755	11	125	8.0	127 x 39
53752	8	125	6.0	117 x 37	53756	12	125	8.0	127 x 39
53753	9	125	6.0	117 x 37	53757	13	125	8.0	127 x 39

54810 Square drive screwdrivers
for Robertson screws



ITEM NO.		mm	∅ mm	mm
54811	1	80	4.5	107 x 32
54812	2	100	6.0	117 x 37

Sets of screwdrivers

6-pcs. set
Order no. 653742

ITEM NO.	Drive	mm	mm
53701		0.4 x 2.5	75
53704		0.8 x 4.0	100
53705		1.0 x 5.5	125
53706		1.2 x 6.5	150
53711		PH 1	80
53712		PH 2	100

6-pcs. set
Order no. 653749

ITEM NO.	Drive	mm	mm
53701		0.4 x 2.5	75
53704		0.8 x 4.0	100
53705		1.0 x 5.5	125
53706		1.2 x 6.5	150
53721		PZ 1	80
53722		PZ 2	100

5-pcs. set
Order no. 653741

ITEM NO.	Drive	mm	mm
53701		0.4 x 2.5	75
53704		0.8 x 4.0	100
53705		1.0 x 5.5	125
53711		PH 1	80
53712		PH 2	100

5-pcs. set
Order no. 653744

ITEM NO.	Drive	mm	mm
53701		0.4 x 2.5	75
53704		0.8 x 4.0	100
53705		1.0 x 5.5	125
53721		PZ 1	80
53722		PZ 2	100






MAXX


VDE Slim



ergonomic product
tested and recommended by
IGR Institut für Gesundheit und Ergonomie
www.igr-ev.de

Certified as ergonomic.
Tested by the independent IGR Institute for Health and Ergonomics





WITTE's Slim screwdriver variants are designed for use in awkward spots. The reduced shank diameter, coupled with the insulation that slims down to blend seamlessly with the slim-line tip, ensures maximum access to screws that are often almost impossible to reach. By using the MAXX VDE slim tools, recessed screws and springs in live components can easily and safely be operated.

53900 slotted screwdrivers
to ISO 2380



ITEM NO.	mm	mm	∅ mm	mm
53903	0.6 x 3.5	100	3.5	107 x 37
53904	0.8 x 4.0	100	4.0	107 x 32
53909	0.8 x 4.5	175	4.5	107 x32

ITEM NO.	mm	mm	∅ mm	mm
53905	1.0 x 5.5	125	5.5	107 x 37
53906	1.2 x 6.5	150	6.5	117 x 37

53910 PH screwdrivers
tip to ISO 8764 for PHILLIPS recess screws



ITEM NO.		mm	∅ mm	mm
53911	PH 1	80	4.5	107 x 32
53912	PH 2	100	6.0	117 x 37

53940 MODUL PH screwdrivers
for +/- screws in electrical installations



ITEM NO.		mm	∅ mm	mm
53941	PH 1 / MODUL	80	4.5	107 x 32
53942	PH 2 / MODUL	100	6.0	117 x 37

53920 PZ screwdrivers
tip to ISO 8764 for POZIDRIV screws



ITEM NO.		mm	∅ mm	mm
53921	PZ 1	80	4.5	107 x 32
53922	PZ 2	100	6.0	117 x 37

53760 MODUL PZ screwdrivers
for +/- screws in electrical installations



ITEM NO.		mm	∅ mm	mm
53961	PZ 1 / MODUL	80	4.5	107 x 32
53962	PZ 2 / MODUL	100	6.0	117 x 37

53970 Square drive screwdrivers
for Robertson screws



ITEM NO.		mm	∅ mm	mm
53971	1.0	100	4.5	107 x 32
53972	2.0	125	5.0	107 x 32

Sets of screwdrivers

5-pcs. set
Order no. 653771

ITEM NO.	Drive	mm	mm
53903		0.6 x 3.5	100
53904		0.8 x 4.0	100
53905		1.0 x 5.5	125
53911		PH 1	80
53912		PH 2	100

5-pcs. set
Order no. 653772

ITEM NO.	Drive	mm	mm
53903		0.6 x 3.5	100
53904		0.8 x 4.0	100
53905		1.0 x 5.5	125
53921		PZ 1	80
53922		PZ 2	100

6-pcs. set
Order no. 653773

ITEM NO.	Drive	mm	mm
53903		0.6 x 3.5	100
53904		0.8 x 4.0	100
53905		1.0 x 5.5	125
53906		1.2 x 6.5	150
53911		PH 1	80
53912		PH 2	100


7-pcs. set
Order no. 653774


ITEM NO.	Drive	mm	mm
53701		0.4 x 2.5	75
53904		0.8 x 4.0	100
53906		1.2 x 6.5	150
53971		1.0	100
53972		2.0	125
53911		PH 1	80
53912		PH 2	100



MAXX

voltage tester





MAXX voltage tester – safety first. The smooth handle, as transparent as glass, allows an unhindered view of the glowing lamp inside the handle from any position. For maximum safety. The voltage tester has been manufactured in accordance with the current DIN standard and tested to VDE/GS (German label for tested safety) for work on live components from 150-250 volts.

24090 voltage tester

tested to VDE 0680 Part 6

150–250 volts



ITEM NO.	mm	mm	mm	mm
24090	3.0	65	88 x 21	153




MAXXPRO

Stainless



tested and recommended by
ergonomic product
IGR Institut für Gesundheit und Ergonomie
www.igr-ev.de

Certified as ergonomic.
Tested by the independent IGR Institute for Health and Ergonomics




EDELSTAHL Rost frei
INOX STAINLESS STEEL

High-grade steel made in Germany
Hardened and tempered, extremely tough special stainless steel guarantees optimum force transmission, long service lives and prevents extraneous rust when tightening stainless steel screws. Precise fit for perfect force transmission.

Use of high-grade stainless steel is of particular relevance in connection with stainless steel fastening jobs. This is the only way to prevent extraneous rust and pitting corrosion which occur if conventional steel screwdrivers are used. This is where quality comes first.

73020 slotted screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.		mm	∅ mm	mm
73021	0.5 x 3.0	75	3.0	103 x 23
73023	0.8 x 4.0	100	4.0	103 x 23
73024	1.0 x 5.5	125	5.5	107 x 32
73025	1.2 x 6.5	150	6.5	117 x 37

73030 PH screwdrivers
to ISO 8764 for PHILLIPS recess screws



ITEM NO.		mm	∅ mm	mm
73032	PH 1	80	4.5	107 x 32
73035	PH 2	100	6.0	117 x 37
73038	PH 3	150	8.0	117 x 37

73040 PZ screwdrivers
to ISO 8764 for POZIDRIV screws



ITEM NO.		mm	∅ mm	mm
73042	PZ 1	80	4.5	107 x 32
73045	PZ 2	100	6.0	117 x 37
73048	PZ 3	150	8.0	117 x 37

73200 TORX® screwdrivers



ITEM NO.		mm	∅ mm	mm
73206	T 10	80	3.5	103 x 23
73207	T 15	80	3.5	103 x 23
73208	T 20	100	4.5	107 x 32
73209	T 25	100	4.5	107 x 32
73211	T 30	115	6.0	117 x 37
73212	T 40	115	8.0	117 x 37

Sets of screwdrivers

6-pcs. set
Order no. 670007

ITEM NO.	Drive	mm	mm
73021		0.5 x 3.0	75
73023		0.8 x 4.0	100
73024		1.0 x 5.5	125
73025		1.2 x 6.5	150
73032		PH 1	80
73035		PH 2	100

6-pcs. set
Order no. 670006

ITEM NO.	Drive	mm	mm
73021		0.5 x 3.0	75
73023		0.8 x 4.0	100
73024		1.0 x 5.5	125
73025		1.2 x 6.5	150
73042		PZ 1	80
73045		PZ 2	100

6-pcs. set
Order no. 670008

ITEM NO.	Drive	mm
73206	T 10	80
73207	T 15	80
73208	T 20	100
73209	T 25	100
73211	T 30	115
73212	T 40	115

5-pcs. set
Order no. 670002

ITEM NO.	Drive	mm	mm
73021		0.5 x 3.0	75
73023		0.8 x 4.0	100
73024		1.0 x 5.5	125
73032		PH 1	80
73035		PH 2	100

5-pcs. set
Order no. 670001

ITEM NO.	Drive	mm	mm
73021		0.5 x 3.0	75
73023		0.8 x 4.0	100
73024		1.0 x 5.5	125
73042		PZ 1	80
73045		PZ 2	100


MAXXPRO

Nature



ergonomic product
tested and recommended by
IGR Institut für Gesundheit und Ergonomie
www.igr-ev.de

Certified as ergonomic.
Tested by the independent IGR Institute for Health and Ergonomics



Natural, kind to the skin and non-slip: moisture-absorbent cork components in the grip give the MAXXPRO tools a satisfying feel and good tactile feedback. In conjunction with excellent ergonomic design, they ensure first-class force transmission.

54100 slotted keystone / engineer's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.	mm	mm	∅ mm	mm
54103	0.8 x 4.0	75	4.0	107 x 32
54105	1.0 x 5.5	100	5.0	107 x 32
54107	1.2 x 6.5	125	6.0	117 x 37

54030 PH screwdrivers
to ISO 8764 for PHILLIPS recess screws



ITEM NO.		mm	∅ mm	mm
54032	PH 1	80	4.5	107 x 32
54035	PH 2	100	6.0	117 x 37

54040 PZ screwdrivers
to ISO 8764 for POZIDRIV screws



ITEM NO.		mm	∅ mm	mm
54042	PZ 1	80	4.5	107 x 32
54045	PZ 2	100	6.0	117 x 37

969 bottle-opener



ITEM NO.	mm
969	117 x 37

Sets of screwdrivers
in environmentally friendly carton

5-pcs. set
Order no. 654865

ITEM NO.	Drive	mm	mm
54103		0.8 x 4.0	75
54105		1.0 x 5.5	100
54107		1.2 x 6.5	125
54032		PH 1	80
54035		PH 2	100

5-pcs. set
Order no. 654866

ITEM NO.	Drive	mm	mm
54103		0.8 x 4.0	75
54105		1.0 x 5.5	100
54107		1.2 x 6.5	125
54042		PZ 1	80
54045		PZ 2	100


MAXXPRO

Women Line



ergonomic product
tested and recommended by
IGR Institut für Gesundheit und Ergonomie
www.igr-ev.de

Certified as ergonomic.
Tested by the independent IGR Institute for Health and Ergonomics



WITTE WOMEN LINE, the ideal starter set for craftswomen. Our tried-and-tested quality that is 100% made in Germany.

The four-piece set in the striking, transparent campaign packaging appeals to professional craftswomen with its attractive colouring and optimised handle sizes. In addition, the triangular shaped grips typical of WITTE ensure improved force application and secure grip in the palm of the hand.

654005 WOMEN LINE screwdriver set



4-pcs. set
Order no. 654005

Drive	mm
1.2 x 6.5	125
PH 1	80
PZ 2	100
Voltage tester SB 3.0 x 65	65



Transparent sliding box
Allows you to see the tools inside.

PRO

Screwdrivers




56 Screwdrivers

Universal screwdrivers at a glance

58 PRO
68 PRO Plus
72 PRO Impact
76 PRO VDE
80 PRO VDE Slim
84 PRO BITDRIVE®
88 PRO BITDRIVE® RATCHET
92 PRO BITDRIVE® TORQUE
96 PRO BITDRIVE® TORQUE VDE
100 PRO ESD
104 PRO voltage testers
108 PRO Nature
112 PRO T-bar
116 PRO WITTRON®
122 PRO WITTRON® VDE
126 PRO WITTRON® ESD
132 PRO Allen keys

PRO



Permanent blade identification
Durable marking on the blade ensures fast, accurate choice of the right screwdriver

Multifunction zone
Particularly long lower grip zone. For safety when executing fast tightening actions


Soft component
Enhanced grip and better control of the tightening action

Black tips
Accurately finished tips provide peak protection against corrosion and guarantee accuracy and correct fit

High-grade steel made in Germany
Hardened and tempered, extremely tough special steel guarantees optimum force transmission and long service lives

In daily work environments, the **PRO** quality series of tools prove their worth over and over again, in particular due to their ergonomic handle shape in conjunction with hardened and tempered special steel. The seamless combination of hard and soft grip materials enhances force transmission, makes handling the tool more satisfactory and reduces strain.


The PRO grip system is based on three grip zones: **the rounded triangular form** of the upper grip zone enables force to be applied more effectively. **The round cross-section** in the central section combines firm grip with easier turning in the spin zone. **The extended multifunction zone** in the lower grip zone promotes faster tightening and loosening action. The three grip zones combine to form a sculpted longitudinal contour and to optimise contact pressure.



The comparison in the illustration shows that the handle sizes of the WITTE Pro series of screwdrivers are perfectly matched to the fastener sizes.

The advantages

- Optimised force transmission and less work effort due to ergonomically designed handles
- Matt chrome-plated, permanently marked blades made of hardened and tempered special steel in all profiles
- Black tips guarantee peak accuracy and correct fit
- Long-term satisfaction with your tools thanks to premium quality »made in Germany«



Round cross-section
combines excellent grip and easy turning action

Clearly rounded triangular form
for improved force transmission

Permanent head marking
Durable, clearly read marking on the blade ensures fast, accurate choice of the right screwdriver

87200 slotted keystone / engineer's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.	mm	mm	∅ mm	mm	ITEM NO.	mm	mm	∅ mm	mm
87201	0.6 x 3.5	75	3.5	105 x 25	**87207**	1.2 x 6.5	125	6.0	115 x 34
87202	0.6 x 3.5	100	3.5	105 x 25	**87208**	1.2 x 6.5	150	6.0	115 x 34
87203	0.8 x 4.0	75	4.0	105 x 25	**87209**	1.2 x 8.0	150	7.0	125 x 37
87204	0.8 x 4.0	100	4.0	105 x 25	**87210**	1.6 x 8.0	175	7.0	125 x 37
87205	1.0 x 5.5	100	5.0	115 x 34	**87211**	1.6 x 10.0	200	8.0	125 x 37
87206	1.0 x 5.5	125	5.0	115 x 34					

86790 slotted cabinet / electrician's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.	mm	mm	∅ mm	mm	ITEM NO.	mm	mm	∅ mm	mm
86791	0.5 x 3.0	75	3.0	105 x 25	**86795**	1.0 x 5.5	150	5.5	115 x 34
86792	0.6 x 3.5	100	3.5	105 x 25	**86796**	1.0 x 5.5	200	5.5	115 x 34
86793	0.8 x 4.0	125	4.0	105 x 25	**86797**	1.0 x 5.5	300	5.5	115 x 34
86794	0.6 x 4.0	300	4.0	105 x 25					

94800 PH screwdrivers
to ISO 8764 for PHILLIPS recess screws



ITEM NO.		mm	∅ mm	mm	ITEM NO.		mm	∅ mm	mm
94801	PH 0	60	3.0	105 x 25	**94809**	PH 2	200	6.0	115 x 34
94802	PH 1	80	4.5	105 x 25	**94805**	PH 2	300	6.0	115 x 34
94803	PH 1	300	4.5	105 x 25	**94806**	PH 3	150	8.0	125 x 37
94804	PH 2	100	6.0	115 x 34	**94807**	PH 4	200	10.0	125 x 37
94808	PH 2	150	6.0	115 x 25					

99600 PZ screwdrivers
to ISO 8764 for POZIDRIV screws



ITEM NO.		mm	∅ mm	mm	ITEM NO.		mm	∅ mm	mm
99601	PZ 0	60	3.0	105 x 25	**99605**	PZ 2	300	6.0	115 x 34
99602	PZ 1	80	4.5	105 x 25	**99606**	PZ 3	150	8.0	125 x 37
99603	PZ 1	300	4.5	105 x 27	**99607**	PZ 4	200	10.0	125 x 37
99604	PZ 2	100	6.0	115 x 34					

98900 TORX® screwdrivers




ITEM NO.		mm	∅ mm	mm	ITEM NO.		mm	∅ mm	mm
98901	T 5	60	3.0	105 x 25	**98908**	T 20	100	4.5	105 x 25
98902	T 6	60	3.0	105 x 25	**98909**	T 25	100	4.5	105 x 25
98903	T 7	60	3.0	105 x 25	**98910**	T 27	115	6.0	115 x 34
98904	T 8	60	3.0	105 x 25	**98911**	T 30	115	6.0	115 x 34
98905	T 9	60	3.0	105 x 25	**98912**	T 40	115	7.0	125 x 37
98906	T 10	80	3.5	105 x 25	**98913**	T 45	130	8.0	125 x 37
98907	T 15	80	3.5	105 x 25					

99300 TORX® screwdrivers
with central bore, tamper resistant



ITREM NO.		mm	∅ mm	mm	ITREM NO.		mm	∅ mm	mm
99303	TR 7	60	3.0	105 x 25	**99309**	TR 25	100	4.5	105 x 25
99304	TR 8	60	3.0	105 x 25	**99310**	TR 27	115	6.0	115 x 34
99305	TR 9	60	3.0	105 x 25	**99311**	TR 30	115	6.0	115 x 34
99306	TR 10	80	3.5	105 x 25	**99312**	TR 40	115	7.0	125 x 37
99307	TR 15	80	3.5	105 x 25	**99313**	TR 45	130	8.0	125 x 37
99308	TR 20	100	4.5	105 x 25					

93000 Square drive screwdrivers
for Robertson screws



ITEM NO.		mm	∅ mm	mm
93001	1.0	100	4.5	105 x 25
93002	2.0	125	5.0	115 x 34
93003	3.0	150	6.0	115 x 34

98700 nutdrivers



ITEM NO.		mm	mm	ITEM NO.		mm	mm
98701	3.5	125	105 x 25	**98709**	9.0	125	115 x 34
98702	4.0	125	105 x 25	**98710**	10.0	125	115 x 34
98703	4.5	125	105 x 25	**98711**	11.0	125	125 x 37
98704	5.0	125	105 x 25	**98712**	12.0	125	125 x 37
98705	5.5	125	105 x 25	**98713**	13.0	125	125 x 37
98706	6.0	125	115 x 34	**98714**	14.0	125	125 x 37
98707	7.0	125	115 x 34	**98715**	17.0	125	125 x 37
98708	8.0	125	115 x 34				

98800 nutdrivers
with flexible shank



ITEM NO.	⬣	mm	mm	ITEM NO.	⬣	mm	mm
98801	5.0	210	115 x 34	**98805**	8.0	210	115 x 34
98802	5.5	210	115 x 34	**98806**	10.0	210	115 x 34
98803	6.0	210	115 x 34	**98807**	1/4"	210	115 x 34
98804	7.0	210	115 x 34				

26375 bitholder
with 150 mm blade and permanent magnet



ITEM NO.	⬣	mm	mm
26375	1/4"	150	115 x 34

87230 slotted stubby screwdriver



ITEM NO.	mm	mm	∅ mm	mm
87231	0.8 x 4.5	25	4.5	55 x 25
87232	1.0 x 6.0	25	6.0	55 x 25
87233	1.2 x 8.0	25	8.0	55 x 25

94350 PH stubby screwdriver
to ISO 8764 for PHILLIPS recess screws



ITEM NO.	✚	mm	∅ mm	mm
94351	PH 1	25	4.5	55 x 25
94352	PH 2	25	6.0	55 x 25

95190 PZ stubby screwdriver
to ISO 8764 for POZIDRIV screws



ITEM NO.	✚	mm	∅ mm	mm
95191	PZ 1	25	4.5	55 x 25
95192	PZ 2	25	6.0	55 x 25

970 bottle-opener



ITEM NO.	mm
970	115 x 34

92542 awl



ITEM NO.	mm	∅ mm	mm
92542	100	6.0	115 x 34

92551 square reamer



ITEM NO.	mm	∅ mm	mm
92551	100	6.0	115 x 34

Sets of screwdrivers



Market-orientated tool sets
Exactly what customers want. Compiled through many years' observation of practical applications.

6-pcs. set
Order no. 670030

ITEM NO.	Drive	mm	mm
87205		1.0 x 5.5	100
87207		1.2 x 6.5	125
94802		PH 1	80
94804		PH 2	100
99602		PZ 1	80
99604		PZ 2	100

6-pcs. set
Order no. 670031

ITEM NO.	Drive	mm	mm
86791		0.5 x 3.0	75
87204		0.8 x 4.0	100
87206		1.0 x 5.5	125
87208		1.2 x 6.5	150
94802		PH 1	80
94804		PH 2	100

6-pcs. set
Order no. 670032

ITEM NO.	Drive	mm	mm
86791		0.5 x 3.0	75
87204		0.8 x 4.0	100
87206		1.0 x 5.5	125
87208		1.2 x 6.5	150
99602		PZ 1	80
99604		PZ 2	100

6-pcs. set
Order no. 670033

ITEM NO.	Drive	mm	mm
87203		0.8 x 4.0	75
87205		1.0 x 5.5	100
87207		1.2 x 6,5	125
87209		1.2 x 8.0	150
94802		PH 1	80
94804		PH 2	100

6-pcs. set
Order no. 670034

ITEM NO.	Drive	mm	mm
87203		0.8 x 4.0	75
87205		1.0 x 5.5	100
87207		1.2 x 6.5	125
87209		1.2 x 8.0	150
99602		PZ 1	80
99604		PZ 2	100

6-pcs. set
Order no. 670037

ITEM NO.	Drive	mm
98906	T 10	80
98907	T 15	80
98908	T 20	100
98909	T 25	100
98911	T 30	115
98912	T 40	115

6-pcs. set
Order no. 670038

ITREM NO.	Drive	mm	mm
99306	TR 10		80
99307	TR 15		80
99308	TR 20		100
99309	TR 25		100
99311	TR 30		115
99312	TR 40		115

5-pcs. set
Order no. 670039

ITEM NO.	Drive	mm	mm
87203		0.8 x 4.0	75
87205		1.0 x 5.5	100
87207		1.2 x 6.5	125
94802		PH 1	80
94804		PH 2	100


5-pcs. set
Order no. 670040

ITEM NO.	Drive	mm	mm
87203		0.8 x 4.0	75
87205		1.0 x 5.5	100
87207		1.2 x 6.5	125
99602		PZ 1	80
99604		PZ 2	100


WITTE
WITTE
WITTE
WITTE
WITTE

PRO Plus





Unbeatable force transmission and efficacy with the PRO series: perfected ergonomic design and generously dimensioned, firm-grip microfibre surface guarantee particularly good force transmission. The innovative multifunction zone complements this by ensuring greater efficiency as you work.

87300 slotted keystone / engineer's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.	mm	mm	∅ mm	mm	ITEM NO.	mm	mm	∅ mm	mm
87303	0.8 x 4.0	75	4.0	105 x 25	**87308**	1.2 x 6.5	150	6.0	115 x 34
87304	0.8 x 4.0	100	4.0	105 x 25	**87309**	1.2 x 8.0	150	7.0	125 x 37
87305	1.0 x 5.5	100	5.0	115 x 34	**87310**	1.6 x 8.0	175	7.0	125 x 37
87306	1.0 x 5.5	125	5.0	115 x 34	**87311**	1.6 x 10.0	200	8.0	125 x 37
87307	1.2 x 6.5	125	6.0	115 x 34					

86890 slotted cabinet / electrician's screwdrivers
to DIN 5264 and ISO 2380



ITEM NO.	mm	mm	∅ mm	mm	ITEM NO.	mm	mm	∅ mm	mm
86893	0.8 x 4.0	125	4.0	105 x 25	**86896**	1.0 x 5.5	200	5.5	115 x 34
86894	0.6 x 4.0	300	4.0	105 x 25	**86897**	1.0 x 5.5	300	5.5	115 x 34
86895	1.0 x 5.5	150	5.5	115 x 34					

94900 PH screwdrivers
tip to ISO 8764 for PHILLIPS recess screws



ITEM NO.		mm	∅ mm	mm	ITEM NO.		mm	∅ mm	mm
94902	PH 1	80	4.5	105 x 25	**94905**	PH 2	300	6.0	115 x 34
94903	PH 1	300	4.5	105 x 25	**94906**	PH 3	150	8.0	125 x 37
94904	PH 2	100	6.0	115 x 34	**94907**	PH 4	200	10.0	125 x 37

99700 PZ screwdrivers
tip to ISO 8764 for POZIDRIV screws



ITEM NO.		mm	∅ mm	mm	ITEM NO.		mm	∅ mm	mm
99702	PZ 1	80	4.5	105 x 25	**99705**	PZ 2	300	6.0	115 x 34
99703	PZ 1	300	4.5	105 x 25	**99706**	PZ 3	150	8.0	125 x 37
99704	PZ 2	100	6.0	115 x 34	**99707**	PZ 4	200	10.0	125 x 37

99000 TORX® screwdrivers



ITEM NO.		mm	∅ mm	mm	ITEM NO.		mm	∅ mm	mm
99006	T 10	80	3.5	105 x 25	**99010**	T 27	115	6.0	115 x 34
99007	T 15	80	3.5	105 x 25	**99011**	T 30	115	6.0	115 x 34
99008	T 20	100	4.5	105 x 25	**99012**	T 40	115	7.0	125 x 37
99009	T 25	100	4.5	105 x 25	**99013**	T 45	130	8.0	125 x 37

Sets of screwdrivers

6-pcs. set
Order no. 670060

ITEM NO.	Drive	mm	mm
87305		1.0 x 5.5	100
87307		1.2 x 6.5	125
94902		PH 1	80
94904		PH 2	100
99702		PZ 1	80
99704		PZ 2	100

6-pcs. set
Order no. 670063

ITEM NO.	Drive	mm	mm
87303		0.8 x 4.0	75
87305		1.0 x 5.5	100
87307		1.2 x 6.5	125
87309		1.2 x 8.0	150
94902		PH 1	80
94904		PH 2	100

6-pcs. set
Order no. 670064

ITEM NO.	Drive	mm	mm
87303		0.8 x 4.0	75
87305		1.0 x 5.5	100
87307		1.2 x 6.5	125
87309		1.2 x 8.0	150
99702		PZ 1	80
99704		PZ 2	100

6-pcs. set
Order no. 670067

ITEM NO.	Drive	mm	mm
99006		T 10	80
99007		T 15	80
99008		T 20	100
99009		T 25	100
99011		T 30	115
99012		T 40	115

5-pcs. set
Order no. 670069

ITEM NO.	Drive	mm	mm
87303		0.8 x 4.0	75
87305		1.0 x 5.5	100
87307		1.2 x 6.5	125
94902		PH 1	80
94904		PH 2	100


5-pcs. set
Order no. 670070

ITEM NO.	Drive	mm	mm
87303		0.8 x 4.0	75
87305		1.0 x 5.5	100
87307		1.2 x 6.5	125
99702		PZ 1	80
99704		PZ 2	100



PRO Impact





When things get really tough: the PRO Impact stays in control. Extremely stubborn screws can often be persuaded to move through a careful hammer blow to the steel cap. Since the PRO Impact 's blade is a full-length, uninterrupted part, the energy imparted to the cap is transferred without loss to the head of the screw. The handle and blade are not damaged.

But that is not all: where additional torque is required, the PRO Impact has a hexagonal bolster and blade, so a spanner can be applied to increase the lever effect.

83800 slotted keystone / engineer's screwdrivers

to DIN 5264 and ISO 2380, hexagonal blade and bolster dimensionally accurate to DIN 475



ITEM NO.	mm	mm		shank	mm
83802	0.8 x 4.0	90	8.0	5.0	105 x 25
83803	1.0 x 5.5	100	8.0	5.0	115 x 34
83804	1.2 x 6.5	125	10.0	6.0	115 x 34
83805	1.2 x 8.0	150	13.0	8.0	125 x 37
83806	1.6 x 10.0	175	13.0	8.0	125 x 37
83807	2.0 x 12.0	200	–	10.0	125 x 37
83808	2.5 x 14.0	250	–	10.0	125 x 37

83900 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws, hexagonal blade and bolster dimensionally accurate to DIN 475



ITEM NO.		mm		shank	mm
83901	PH 1	85	8.0	5.0	105 x 25
83902	PH 2	100	10.0	6.0	115 x 34
83903	PH 3	150	13.0	8.0	125 x 37

84000 PZ screwdrivers

to ISO 8764 for POZIDRIV screws, hexagonal blade and bolster dimensionally accurate to DIN 475



ITEM NO.		mm		shank	mm
84001	PZ 1	85	8.0	5.0	105 x 25
84002	PZ 2	100	10.0	6.0	115 x 34
84003	PZ 3	150	13.0	8.0	125 x 37

Sets of screwdrivers

6-pcs. set

Order no. 670094

ITEM NO.	Drive			mm
83802		0.8 x 4.0	8	90
83803		1.0 x 5.5	8	100
83804		1.2 x 6.5	10	125
83805		1.2 x 8.0	13	150
83901		PH 1	8	80
83902		PH 2	10	100

6-pcs. set


Order no. 670095


ITEM NO.	Drive			mm
83802		0.8 x 4.0	8	90
83803		1.0 x 5.5	8	100
83804		1.2 x 6.5	10	125
83805		1.2 x 8.0	13	150
84001		PZ 1	8	80
84002		PZ 2	10	100




PRO

VDE screwdrivers









Individual testing in the dip tank: every single screwdriver is subjected to a high-voltage test in a water-filled dip tank. Even at 10,000 volts it must pass the dielectric strength test in order to receive VDE certification, which approves it for use on live components up to 1000 volts.

74050 slotted screwdrivers
to ISO 2380




ITEM NO.	mm	mm	∅ mm	mm
74051	0.4 x 2.5	75	2.5	105 x 25
74052	0.5 x 3.0	100	3.0	105 x 25
74053	0.6 x 3.5	100	3.5	105 x 25
74054	0.8 x 4.0	100	4.0	105 x 25
74055	1.0 x 5.5	125	5.5	115 x 34
74056	1.2 x 6.5	150	6.5	115 x 34
74057	1.2 x 8.0	175	8.0	125 x 37
74058	1.6 x 10.0	200	10.0	125 x 37

74060 PH screwdrivers
tip to ISO 8764 for PHILLIPS recess screws




ITEM NO.		mm	∅ mm	mm
74061	PH 0	60	3.0	105 x 25
74062	PH 1	80	4.5	105 x 25
74063	PH 2	100	6.0	115 x 34
74064	PH 3	150	8.0	125 x 37
74065	PH 4	200	10.0	125 x 37

74080 MODUL PH screwdrivers
for +/- screws in electrical installations




ITEM NO.		mm	∅ mm	mm
74081	PH 1 / MODUL	80	4.5	105 x 25
74082	PH 2 / MODUL	100	6.0	115 x 34

74070 PZ screwdrivers
tip to ISO 8764 for POZIDRIV screws




ITEM NO.		mm	∅ mm	mm
74071	PZ 0	60	3.0	105 x 25
74072	PZ 1	80	4.5	105 x 25
74073	PZ 2	100	6.0	115 x 34
74074	PZ 3	150	8.0	125 x 37
74075	PZ 4	200	10.0	125 x 37

74090 MODUL PZ screwdrivers
for +/- screws in electrical installations




ITEM NO.		mm	∅ mm	mm
74091	PZ 1 / MODUL	80	4.5	105 x 25
74092	PZ 2 / MODUL	100	6.0	115 x 34

74080 TORX® screwdrivers



ITEM NO.		mm	∅ mm	mm
74083	T 8	60	3.0	105 x 25
74084	T 9	60	3.0	105 x 25
74085	T 10	60	3.0	105 x 25
74086	T 15	75	3.5	105 x 25
74087	T 20	100	4.0	105 x 25
74088	T 25	100	4.5	105 x 25
74089	T 30	100	6.0	105 x 25

74180 nutdrivers



ITEM NO.		mm	∅ mm	mm
74181	6	125	5.0	115 x 34
74182	7	125	6.0	115 x 34
74183	8	125	6.0	115 x 34
74184	9	125	6.0	115 x 34
74185	10	125	6.0	115 x 34
74186	11	125	8.0	125 x 37
74187	12	125	8.0	125 x 37
74188	13	125	8.0	125 x 37

Sets of screwdrivers

6-pcs. set
Order no. 670022

ITEM NO.	Drive	mm	mm
74051		0.4 x 2.5	75
74054		0.8 x 4.0	100
74055		1.0 x 5.5	125
74056		1.2 x 6.5	150
74062		PH 1	80
74063		PH 2	100

6-pcs. set
Order no. 670023


ITEM NO.	Drive	mm	mm
74051		0.4 x 2.5	75
74054		0.8 x 4.0	100
74055		1.0 x 5.5	125
74056		1.2 x 6.5	150
74072		PZ 1	80
74073		PZ 2	100

5-pcs. set
Order no. 670024

ITEM NO.	Drive	mm	mm
74051		0.4 x 2.5	75
74054		0.8 x 4.0	100
74055		1.0 x 5.5	125
74062		PH 1	80
74063		PH 2	100


5-pcs. set
Order no. 670025

ITEM NO.	Drive	mm	mm
74051		0.4 x 2.5	75
74054		0.8 x 4.0	100
74055		1.0 x 5.5	125
74072		PZ 1	80
74073		PZ 2	100



PRO
VDE slim





Insulated blade to DIN ISO EN 60900
For safe working on live components up to 1000 volts. Every single VDE screwdriver is individually tested for compliance with VDE regulations before it is dispatched.

Reduced shank diameter

WITTE's Slim screwdriver variants are designed for use in awkward spots. The reduced shank diameter, coupled with the insulation that slims down to blend seamlessly with the slim-line tip, ensures maximum access to screws that are often almost impossible to reach. By using the PRO VDE slim tools, recessed screws and springs in live components can easily and safely be operated.

The rounded triangular form guarantees excellent force transmission thanks to the easy-to-grip soft zone and the roll protection section in the quality you expect of WITTE.

76010 screwdrivers
to ISO 2380



ITEM NO.	mm	mm	∅ mm	mm
76012	0.5 x 3.0	100	3.0	105 x 25
76014	0.8 x 4.0	100	4.0	105 x 25
76017	0.8 x 4.5	175	4.5	105 x 25

ITEM NO.	mm	mm	∅ mm	mm
76015	1.0 x 5.5	125	5.5	115 x 34
76016	1.2 x 6.5	150	6.5	115 x 34

76020 PH screwdrivers
tip to ISO 8764 for PHILLIPS® recess screwdrivers




ITEM NO.		mm	∅ mm	mm
76022	PH 1	80	4.5	105 x 25
76023	PH 2	100	6.0	115 x 34

76020 MODUL PH screwdrivers
for +/- screws in electrical installations



ITEM NO.		mm	∅ mm	mm
76025	PH 1 / MODUL	80	4.5	105 x 25
76026	PH 2 / MODUL	100	6.0	115 x 34

76030 PZ screwdrivers
tip to ISO 8764 for POZIDRIV® screws



ITEM NO.		mm	∅ mm	mm
76032	PZ 1	80	4.5	105 x 25
76033	PZ 2	100	6.0	115 x 34

76030 MODUL PZ screwdrivers
for +/- screws in electrical installations



ITEM NO.		mm	∅ mm	mm
76035	PZ 1 / MODUL	80	4.5	105 x 25
76036	PZ 2 / MODUL	100	6.0	115 x 34

Sets of screwdrivers

5-pcs. set
Order no. 670080

ITEM NO.	Drive	mm	mm
76012		0.5 x 3.0	100
76014		0.8 x 4.0	100
76015		1.0 x 5.5	125
76022		PH 1	80
76023		PH 2	100

5-pcs. set
Order no. 670081


ITEM NO.	Drive	mm	mm
76012		0.5 x 3.0	100
76014		0.8 x 4.0	100
76015		1.0 x 5.5	125
76032		PZ 1	80
76033		PZ 2	100

6-pcs. set
Order no. 670082

ITEM NO.	Drive	mm	mm
76012		0.5 x 3.0	100
76014		0.8 x 4.0	100
76015		1.0 x 5.5	125
76016		1.2 x 6.5	150
76022		PH 1	80
76023		PH 2	100


6-pcs. set
Order no. 670083


ITEM NO.	Drive	mm	mm
76012		0.5 x 3.0	100
76014		0.8 x 4.0	100
76015		1.0 x 5.5	125
76016		1.2 x 6.5	150
76032		PZ 1	80
76033		PZ 2	100



PRO BITDRIVE®







With the WITTE PRO BITDRIVE® you really have everything at your fingertips. Apart from the ergonomically designed grip that allows you to transmit even higher torques, the new PRO BITDRIVE® incorporates a magazine containing six bits in the handle end. The whole construction is, of course, in the proven WITTE PRO design. Ergonomic handling can be this convenient.

BITDRIVE®





One-hand release mechanism
Easy opening of the bit storage with only one finger.



Fast access
The magnetic mechanism holds the bits in a petal-like arrangement to make it easier for you to pick the one you need.



Convenient magnetic holder
For attaching small metallic components.



Simple replacement
The magnetic mechanism holds the bits in place to make it easier for you to replace the one you've used.

468023 PRO BITDRIVE® screwdriver

Screwdriver with 6 bits, individually packed in a transparent box with a hanging hole



Qty		ITEM NO.	Drive	mm	1/4" drive
1		27020	PH 1	25	C6.3
1		27021	PH 2	25	C6.3
1		27022	PH 3	25	C6.3
1		27045	PZ1	25	C6.3
1		27046	PZ2	25	C6.3
1		27047	PZ3	25	C6.3

468024 PRO BITDRIVE® screwdriver

Screwdriver with 6 bits, individually packed in a transparent box with a hanging hole




Qty		ITEM NO.	Drive	mm	1/4" drive
1		29503	T 10	25	C6.3
1		29504	T 15	25	C6.3
1		29505	T 20	25	C6.3
1		29506	T 25	25	C6.3
1		29508	T 30	25	C6.3
1		29509	T 40	25	C6.3


PRO

BITDRIVE® RATCHET





Integrated bit storage
The magnetic mechanism holds the bits in place to make it easier for you to pick the one you need.



Convenient magnetic holder
For attaching small metallic components.

Soft component

One-hand release mechanism

Roll protection

High-quality metal ratchet

Quick-change bit holder

The BITDRIVE® RATCHET has all the benefits of the PRO BITDRIVE® – supplemented with the handy ratchet function. For even more efficient tightening and loosening.

BITDRIVE® RATCHET





One-hand release mechanism
Easy opening of the bit storage with only one finger.



Fast access
The magnetic mechanism holds the bits in a petal-like arrangement to make it easier for you to pick the one you need.



Convenient magnetic holder
For attaching small metallic components.



Simple replacement
The magnetic mechanism holds the bits in place to make it easier for you to replace the one you've used.



High-quality metal ratchet
With locked, anticlockwise and clockwise functions. For even more efficient tightening and loosening.

468021 PRO BITDRIVE® RATCHET screwdriver

Screwdriver with 6 bits and a metal ratchet,
individually packed in a transparent box with a hanging hole



Qty		ITEM NO.	Drive	mm	1/4" drive
1		27020	PH 1	25	C6.3
1		27021	PH 2	25	C6.3
1		27022	PH 3	25	C6.3
1		27045	PZ1	25	C6.3
1		27046	PZ2	25	C6.3
1		27047	PZ3	25	C6.3

468022 PRO BITDRIVE® RATCHET screwdriver

Screwdriver with 6 bits and a metal ratchet,
individually packed in a transparent box with a hanging hole




Qty		ITEM NO.	Drive	mm	1/4" drive
1		29503	T 10	25	C6.3
1		29504	T 15	25	C6.3
1		29505	T 20	25	C6.3
1		29506	T 25	25	C6.3
1		29508	T 30	25	C6.3
1		29509	T 40	25	C6.3

PRO

BITDRIVE® TORQUE





WITTE screwdrivers are renowned for their special grip design that enables maximum torques. To allow you to apply exactly the required amount of force, there is now, with immediate effect, the PRO BITDRIVE® TORQUE with its convenient fast-action torque setting. The quick-change bit holder provides additional security.





Easily readable scale
Rough and fine scale for accurate setting of the required target torque.



Convenient setting ring
Fast, easy rotary setting of torques from 1.0 – 5.0 Nm.

468014 PRO BITDRIVE® TORQUE screwdrivers

Torque screwdrivers for torques from 1.0 - 5.0 Nm,
individually packed in a transparent box with a hanging hole




PRO

BITDRIVE® TORQUE VDE







Defined torques often have to be achieved even when working with live components. This is where the BITDRIVE® TORQUE VDE comes into play. As an added bonus: replaceable blades are tested to DIN ISO EN 60900.

BITDRIVE® TORQUE VDE






Easily readable scale
Rough and fine scale for accurate setting of the required target torque.



Convenient setting ring
Fast, easy rotary setting of torques from 1.0 – 5.0 Nm.



Safe-change mount
For mounting and changing insulated blades. Tested to DIN EN IEC 60900.

468015 PRO BITDRIVE® TORQUE VDE screwdrivers

VDE torque screwdrivers for torques from 1.0 - 5.0 Nm,
individually packed in a transparent box with a hanging hole



incl. PH 2 interchangeable blade

Drive	mm	mm
PH 2	PH 2	100

301272 WITTE BITDRIVE® TORQUE VDE 1 SET

PRO BITDRIVE® TORQUE incl. 5 interchangeable blades in a zip-up wallet



Drive	mm	mm
0.5 x 0.3	0.5 x 0.3	60
0.8 x 4.0	0.8 x 4.0	80
1.0 x 5.5	1.0 x 5.5	80
PH 1	PH 1	80
PH 2	PH 2	100

301282 WITTE BITDRIVE® TORQUE VDE 2 SET

PRO BITDRIVE® TORQUE incl. 5 interchangeable blades in a roll-up wallet



Drive	mm	mm
0.5 x 0.3	0.5 x 0.3	60
0.8 x 4.0	0.8 x 4.0	80
1.0 x 5.5	1.0 x 5.5	80
PH 1	PH 1	80
PH 2	PH 2	100

468010 Interchangeable blades for BITDRIVE® TORQUE VDE


single, packed in polybag




ITEM NO.	Drive	mm	mm
468016	0.5 x 0.3	0.5 x 0.3	60
468017	0.8 x 4.0	0.8 x 4.0	80
468018	1.0 x 5.5	1.0 x 5.5	80
468019	PH 1	PH 1	80
468020	PH 2	PH 2	100


PRO

ESD screwdrivers






Electrostatically conducting handle
For work on electrostatically sensitive components according to ESD standard IEC 61340-5-1



The PRO ESD screwdriver series is equipped with electrostatically conducting handles. This enables work to be carried out on electrostatically sensitive components with a working resistance of 10^6 – 10^9 ohms. The handles are electrostatically conducting to DIN EN 61340-5-1.

85540 slotted keystone / engineer's screwdrivers


to DIN 5264 and ISO 2380



ITEM NO.	mm	mm		shank	mm
85541	0.5 x 3.0	75	3.0	105 x 25	105 x 25
85543	0.8 x 4.0	125	4.0	105 x 25	115 x 34
85544	1.0 x 5.5	150	5.5	115 x 34	115 x 34

94240 PH screwdrivers

tip to ISO 8764 for PHILLIPS recess screws




ITEM NO.		mm	∅ mm	mm
94241	PH 0	60	3.0	105 x 25
94242	PH 1	80	4.5	105 x 25
94243	PH 2	100	6.0	115 x 34



PRO

voltage testers





WITTE PRO voltage testers – check reliably and safely for the presence of AC currents up to 250 volts.

24083 voltage tester with metal clip

Tested to VDE 0680 Part 6

120–250 volts



ITEM NO.	mm	mm	mm	mm
24083	3.0	65	75 x 15	140

24072 voltage tester

Tested to VDE 0680 Part 6

120–250 volts



ITEM NO.	mm	mm	mm	mm
24072	3.5	100	85 x 17	185

24856 Euro voltage tester

Tested to VDE 0680 Part 6

125–250 volts



ITEM NO.	mm	mm	mm	mm
24856	3.0	60	90 x 20	150

24857 Euro voltage tester

Tested to VDE 0680 Part 6


125–250 volts



ITEM NO.	mm	mm	mm	mm
24857	3.5	100	90 x 20	190

PRO Nature





Leather cap
Absorbs impacts and protects against splinters

Hard-wood handle
Made of durable beech-wood

Bolster
For added torque

Full-length blade
Forged from a single piece. Provides additional safety when tapping with a hammer

Black tip

Screwdrivers with wooden handles have a long tradition. Even today, they are still the preferred choice among those that appreciate tried-and-tested workmanship and like working with natural materials.

96500 slotted keystone / engineer's screwdrivers

Blade high-gloss chrome-plated with black tip



ITEM NO.	mm	mm	⬢	∅ mm	mm
96501	0.6 x 3.5	75	6	4.5	95 x 24
96502	0.7 x 4.5	90	6	4.5	95 x 24
96503	0.8 x 5.5	100	8	5.5	100 x 25
96504	1.0 x 7.0	125	10	7.0	110 x 27

ITEM NO.	mm	mm	⬢	∅ mm	mm
96505	1.2 x 9.0	150	13	8	120 x 30
96506	1.6 x 10.0	175	13	9	125 x 32
96507	2.0 x 12.0	200	16	9	130 x 32
96508	2.5 x 13.0	250	16	11	130 x 35

96600 PH screwdrivers

to ISO 8764 for PHILLIPS recess screws,
blade high-gloss chrome-plated with black tip



ITEM NO.	⊕	mm	⬢	∅ mm	mm
96601	PH 1	85	6	4.5	95 x 24
96602	PH 2	100	10	6.0	110 x 27
96603	PH 3	150	13	8.0	120 x 30
96604	PH 4	200	16	10.0	130 x 32

96700 PZ screwdrivers

to ISO 8764 for POZIDRIV screws,
blade high-gloss chrome-plated with black tip



ITEM NO.	⊕	mm	⬢	∅ mm	mm
96701	PZ 1	85	6	4.5	95 x 24
96702	PZ 2	100	10	6.0	110 x 27
96703	PZ 3	150	13	8.0	120 x 30
96704	PZ 4	200	16	10.0	130 x 32

Sets of screwdrivers

6-pcs. set
Order no. 620326

ITEM NO.	Drive	mm	⬢	mm
96501	⊖	0.6 x 3.5	6	75
96502	⊖	0.7 x 4.5	6	90
96503	⊖	0.8 x 5.5	8	100
96504	⊖	1.0 x 7.0	10	125
96601	⊕	PH 1	6	85
96602	⊕	PH 2	10	100

6-pcs. set
Order no. 620327

ITEM NO.	Drive	mm	⬢	mm
96501	⊖	0.6 x 3.5	6	75
96502	⊖	0.7 x 4.5	6	90
96503	⊖	0.8 x 5.5	8	100
96504	⊖	1.0 x 7.0	10	125
96701	⊕	PZ 1	6	85
96702	⊕	PZ 2	10	100

6-pcs. set
Order no. 620302

ITEM NO.	Drive	mm	⬢	mm
96502	⊖	0.7 x 4.5	6	90
96503	⊖	0.8 x 5.5	8	100
96504	⊖	1.0 x 7.0	10	125
96505	⊖	1.2 x 9.0	13	150
96601	⊕	PH 1	6	85
96602	⊕	PH 2	10	100

6-pcs. set
Order no. 620400

ITEM NO.	Drive	mm	⬢	mm
96502	⊖	0.7 x 4.5	6	90
96503	⊖	0.8 x 5.5	8	100
96504	⊖	1.0 x 7.0	10	125
96505	⊖	1.2 x 9.0	13	150
96701	⊕	PZ 1	6	85
96702	⊕	PZ 2	10	100

5-pcs. set
Order no. 620306


ITEM NO.	Drive	mm	⬢	mm
96502	⊖	0.7 x 4.5	6	90
96503	⊖	0.8 x 5.5	8	100
96504	⊖	1.0 x 7.0	10	125
96601	⊕	PH 1	6	85
96602	⊕	PH 2	10	100

5-pcs. set
Order no. 620303

ITEM NO.	Drive	mm	⬢	mm
96502	⊖	0.7 x 4.5	6	90
96503	⊖	0.8 x 5.5	8	100
96504	⊖	1.0 x 7.0	10	125
96701	⊕	PZ 1	6	85
96702	⊕	PZ 2	10	100

PRO T-bar





Where high torques are required, WITTE offers the ideal solution with the PRO T-bar. Its ergonomic design is exemplary for tools of this kind: with the snug-fit, soft grip components, work with these tools is easier and strain-free.


This design also does away with edges, which aids cramp-free grip and simplifies changing your hand position. Convenient: to magnify the torque acting on the screw considerably, use the shorter shank for the screw and the longer one as the lever.

81600 internal hex screwdrivers
with a single drive



ITEM NO.	○	mm	mm
81602	2.0	100	95
81625	2.5	100	95
81603	3.0	150	95
81604	4.0	150	95
81605	5.0	200	95
81606	6.0	200	95
81608	8.0	200	120
81610	10.0	200	120

81100 internal hex screwdrivers
with dual drive



ITEM NO.	○	mm	mm	mm
81102	2.0	100	10	95
81125	2.5	100	10	95
81103	3.0	150	15	95
81104	4.0	150	15	95
81105	5.0	200	15	95
81106	6.0	200	15	95
81108	8.0	200	20	120
81110	10.0	200	25	120


81700 TORX® screwdrivers
with a single drive



ITEM NO.	○	mm	mm	
81709	T 9	100	95	M 3.0
81710	T 10	100	95	M 3.0
81715	T 15	100	95	M 3.5
81720	T 20	100	95	M 4.0
81725	T 25	110	95	M 5.0
81727	T 27	110	95	M 5.0
81730	T 30	130	95	M 6.0
81740	T 40	130	120	M 8.0
81750	T 50	130	120	M 10.0

MADE IN GERMANY
SINCE 1785.

81400 TORX® screwdrivers
with dual drive



ITEM NO.	✪	mm	mm	mm	
81409	T 9	100	15	95	M 3.0
81410	T 10	100	15	95	M 3.0
81415	T 15	100	15	95	M 3.5
81420	T 20	100	15	95	M 4.0
81425	T 25	110	15	95	M 5.0
81427	T 27	110	15	95	M 5.0
81430	T 30	130	15	95	M 6.0
81440	T 40	130	20	120	M 8.0
81450	T 50	130	25	120	M 10.0

81200 nutdrivers



ITEM NO.	⬢	mm	mm
81204	4.0	200	95
81245	4.5	200	95
81205	5.0	200	95
81255	5.5	200	95
81206	6.0	200	95
81207	7.0	200	120
81208	8.0	200	120
81209	9.0	200	120
81210	10.0	200	120
81211	11.0	200	120
81212	12.0	200	120
81213	13.0	200	120
81217	17.0	200	120

82620 bitholder
with 150 mm blade and permanent magnet



ITEM NO.	⬢	mm	mm
82620	1/4"	150	95

PRO WITTRON®





Rotatable cap with ergonomic finger recess
For one-handed rotation

Soft component
For optimum grip

Spin zone
Slim and manageable –
for finger-tip control

Special steel
Hardened and tempered,
made in Germany

Black tip
More accuracy and durability

Accurate work needs precision tools. In particular when carrying out precision mechanical tasks and in electronics applications there is a need for finger-tip control in confined spaces and very carefully gauged application of force.
This is where the PRO WITTRON® screwdriver series comes into its own.

These tools feature geometries developed specifically for their field of application. A large finger recess, even slimmer spin zones and large-sized soft components enable the worker to use finger-tip control.

89710 slotted screwdrivers



ITEM NO.	mm	mm	∅ mm	mm	ITEM NO.	mm	mm	∅ mm	mm
89711	0.16 x 0.8	40	2.5	100	**89718**	0.50 x 3.0	75	3.0	100
89712	0.18 x 1.0	40	2.5	100	**89719**	0.50 x 3.0	150	3.0	100
89713	0.25 x 1.2	40	2.5	100	**89720**	0.60 x 3.5	100	3.5	100
89714	0.30 x 1.5	40	2.5	100	**89721**	0.60 x 3.5	150	3.5	100
89715	0.30 x 1.8	60	2.5	100	**89722**	0.80 x 4.0	100	4.0	100
89716	0.40 x 2.0	60	2.5	100	**89723**	0.80 x 4.0	150	4.0	100
89717	0.40 x 2.5	75	2.5	100	**89724**	0.80 x 4.0	200	4.0	100

89730 PH screwdrivers

for PHILLIPS recess screws



ITEM NO.	mm	∅ mm	mm	ITEM NO.	mm	∅ mm	mm
89731	PH 000	40	2.0	100	**89734**	PH 1	80	4.5	100
89732	PH 00	40	2.5	100	**89735**	PH 1	150	4.5	100
89733	PH 0	60	3.0	100					

89740 PZ screwdrivers

for POZIDRIV screws



ITEM NO.	mm	∅ mm	mm
89741	PZ 0	60	3	100
89742	PZ 1	80	4.5	100

89750 TORX® screwdrivers



ITEM NO.	mm	∅ mm	mm	ITEM NO.	mm	∅ mm	mm
89751	T 5	50	2.5	100	**89755**	T 9	60	3.0	100
89752	T 6	50	2.5	100	**89756**	T 10	80	3.0	100
89753	T 7	50	2.5	100	**89757**	T 15	80	3.5	100
89754	T 8	60	3.0	100	**89758**	T 20	100	4.0	100

89760 hex screwdrivers



ITEM NO.	mm	mm	mm	ITEM NO.	mm	mm	mm
89761	0.7	40	100	**89765**	2.0	50	100
89762	0.9	40	100	**89766**	2.5	60	100
89763	1.3	40	100	**89767**	3.0	60	100
89764	1.5	50	100				

89770 ball-end hex screwdrivers



ITEM NO.	mm	∅ mm	mm
89771	1.5	50	2.5	100
89772	2.0	50	3.0	100
89773	2.5	60	3.0	100
89774	3.0	60	3.5	100

89780 nutdrivers



ITEM NO.	mm	mm
89781	1.5	60	100
89782	1.8	60	100
89783	2.0	60	100
89784	2.5	60	100
89785	3.0	60	100
89786	3.2	60	100
89787	3.5	60	100
89788	4.0	60	100
89789	4.5	60	100
89790	5.0	60	100
89791	5.5	60	100
89792	6.0	60	100

89793 bitholder

with 60 mm blade and permanent magnet



ITEM NO.	mm	mm
89793	1/4"	60	100

Sets of screwdrivers
in high-impact plastic cases

7-pcs. set
Order no. 89321

ITEM NO.	Drive	mm	mm
89712		0.18 x 1.0	40
89713		0.25 x 1.2	40
89714		0.30 x 1.5	40
89715		0.30 x 1.8	60
89716		0.40 x 2.0	60
89717		0.40 x 2.5	75
89718		0.50 x 3.0	75

7-pcs. set
Order no. 89322

ITEM NO.	Drive	mm	mm
89714		0.30 x 1.5	40
89716		0.40 x 2.0	60
89717		0.40 x 2.5	75
89718		0.50 x 3.0	75
89732		PH 00	40
89733		PH 0	60
89734		PH 1	80

7-pcs. set
Order no. 89323

ITEM NO.	Drive	mm	mm
89751		T 5	50
89752		T 6	50
89753		T 7	50
89754		T 8	60
89755		T 9	60
89756		T 10	80
89757		T 15	80

7-pcs. set
Order no. 89324

ITEM NO.	Drive	mm	mm
89761		0.7	40
89762		0.9	40
89763		1.3	40
89764		1.5	50
89765		2.0	50
89766		2.5	60
89767		3.0	60

7-pcs. set
Order no. 89325

ITEM NO.	Drive	mm	mm
89784		2.5	60
89785		3.0	60
89786		3.2	60
89787		3.5	60
89788		4.0	60
89790		5.0	60
89791		5.5	60

7-pcs. set
Order no. 89327

ITEM NO.	Drive	mm	mm
89714		0.30 x 1.5	40
89733		PH 0	60
89764		1.5	50
89765		2.0	50
89766		2.5	60
89788		4.0	60
89791		5.5	60



Sets of screwdrivers
in boxes

7-pcs. set
Order no. 89341

ITEM NO.	Drive	mm	mm
89712		0.18 x 1.0	40
89713		0.25 x 1.2	40
89714		0.30 x 1.5	40
89715		0.30 x 1.8	60
89716		0.40 x 2.0	60
89717		0.40 x 2.5	75
89718		0.50 x 3.0	75

7-pcs. set
Order no. 89342

ITEM NO.	Drive	mm	mm
89714		0.30 x 1.5	40
89416		0.40 x 2.0	60
89717		0.40 x 2.5	75
89718		0.50 x 3.0	75
89732		PH 00	40
89733		PH 0	60
89734		PH 1	80

7-pcs. set
Order no. 89343

ITEM NO.	Drive	mm	mm
89751		T 5	50
89752		T 6	50
89753		T 7	50
89754		T 8	60
89755		T 9	60
89756		T 10	80
89757		T 15	80

7-pcs. set
Order no. 89344

ITEM NO.	Drive	mm	mm
89761		0.7	40
89762		0.9	40
89763		1.3	40
89764		1.5	50
89765		2.0	50
89766		2.5	60
89767		3.0	60



7-pcs. set
Order no. 89345

ITEM NO.	Drive	mm	mm
89784		2.5	60
89785		3.0	60
89786		3.2	60
89787		3.5	60
89788		4.0	60
89790		5.0	60
89791		5.5	60

WITTE WITTRON holder
Find out more here:
https://www.wittetools.com/service/downloads/wittron-3d-halter/


or here



PRO

WITTRON® VDE





Rotatable cap with ergonomic finger recess
For one-handed rotation

Soft component
For optimum grip

Spin zone
Slim and manageable – for finger-tip control

Special steel
Hardened and tempered, made in Germany

Insulated blade
For safe working on live components up to 1000 volts

Black tip
More accuracy and durability

Insulated to DIN ISO EN 60900
For safe working on live components up to 1000 volts

Accurate work presupposes precision tools. In particular when carrying out precision mechanical tasks and in electronics applications there is a need for finger-tip control in confined spaces and very carefully gauged application of force.

This is where the PRO WITTRON® VDE screwdriver series comes into its own. These tools feature geometries developed specifically for their field of application: a generous finger recess, even slimmer spin zones and large-sized soft components enable the worker to use finger-tip control.

89930 slotted screwdrivers



ITEM NO.	mm	mm	∅ mm	mm
89935	0.3 x 1.5	40	1.8	100
89931	0.3 x 1.8	60	1.8	100
89932	0.4 x 2.0	60	2.0	100
89933	0.4 x 2.5	75	2.5	100
89934	0.5 x 3.0	75	3.0	100

89940 PH screwdrivers

for PHILLIPS recess screws



ITEM NO.		mm	∅ mm	mm
89942	PH 00	40	2.5	100
89941	PH 0	60	3.0	100

89920 TORX® screwdrivers



ITEM NO.		mm	∅ mm	mm
89921	T 5	40	2.5	100
89922	T 6	40	2.5	100
89923	T 7	40	2.5	100
89924	T 8	60	3.0	100
89925	T 9	60	3.0	100
89926	T 10	60	3.0	100
89927	T 15	75	3.5	100

Sets of screwdrivers

in high-impact plastic cases

7-pcs. set

Order no. 89367

ITEM NO.	Drive	mm	mm
89935		0.3 x 1.5	40
89931		0.3 x 1.8	60
89932		0.4 x 2.0	60
89933		0.4 x 2.5	75
89934		0.5 x 3.0	75
89942		PH 00	40
89941		PH 0	60

7-pcs. set

Order no. 89368

ITEM NO.	Drive		mm
89921		T 5	40
89922		T 6	40
89923		T 7	40
89924		T 8	60
89925		T 9	60
89926		T 10	60
89927		T 15	75



Sets of screwdrivers

in boxes

7-pcs. set


Order no. 89377

ITEM NO.	Drive	mm	mm
89935		0.3 x 1.5	40
89931		0.3 x 1.8	60
89932		0.4 x 2.0	60
89933		0.4 x 2.5	75
89934		0.5 x 3.0	75
89942		PH 00	40
89941		PH 0	60

7-pcs. set

Order no. 89378

ITEM NO.	Drive		mm
89921		T 5	40
89922		T 6	40
89923		T 7	40
89924		T 8	60
89925		T 9	60
89926		T 10	60
89927		T 15	75



WITTE WITTRON holder

Find out more here:
https://www.wittetools.com/service/downloads/wittron-3d-halter/


or here



PRO

WITTRON® ESD





The PRO WITTRON ESD screwdriver series is equipped with electrostatically conducting, dissipating handles. This enables work to be carried out on electrostatically sensitive components with a working resistance of 10^6 – 10^9 ohms.

The handles are electrostatically conducting to DIN EN 61340-5-1.

89410 slotted screwdrivers



ITEM NO.	mm	mm	∅ mm	mm
89412	0.18 x 1.0	40	2.5	100
89413	0.25 x 1.2	40	2.5	100
89414	0.30 x 1.5	40	2.5	100
89415	0.30 x 1.8	60	2.5	100

ITEM NO.	mm	mm	∅ mm	mm
89416	0.50 x 3.0	75	3.0	100
89417	0.40 x 2.0	60	2.5	100
89418	0.40 x 2.5	75	2.5	100

89806 2K IC chip lifter



ITEM NO.	mm	mm	∅ mm	mm
89806	1.0 x 3.5	50	3.5	100

89430 PH screwdrivers
for PHILLIPS recess screws



ITEM NO.		mm	∅ mm	mm
89432	PH 00	40	2.5	100
89433	PH 0	60	3.0	100

ITEM NO.		mm	∅ mm	mm
89434	PH 1	80	4.5	100
89435	PH 1	150	4.5	100

89450 TORX® screwdrivers



ITEM NO.		mm	∅ mm	mm
89451	T 5	50	2.5	100
89452	T 6	50	2.5	100
89453	T 7	50	2.5	100
89454	T 8	60	3.0	100

ITEM NO.		mm	∅ mm	mm
89455	T 9	60	3.0	100
89456	T 10	80	3.0	100
89457	T 15	80	3.5	100
89458	T 20	100	4.0	100

89480 nutdrivers



ITEM NO.	⬣	mm	mm
89487	3.5	60	100
89489	4.5	60	100
89490	5.0	60	100

Sets of screwdrivers
in high-impact plastic cases

7-pcs. set
Order no. 89313

ITEM NO.	Drive	mm	mm
89414	⊖	0.30 x 1.5	40
89416	⊖	0.40 x 2.0	60
89417	⊖	0.40 x 2.5	75
89418	⊖	0.50 x 3.0	75
89432	⊕	PH 00	40
89433	⊕	PH 0	60
89434	⊕	PH 1	80




WITTE WITTRON holder
Find out more here:
https://www.wittetools.com/service/downloads/wittron-3d-halter/

or here



PRO
Allen keys





Hexagon socket screw keys
With bevelled ends (DIN ISO 2936) – available as long and short versions.

TORX® key wrenches
Popular TORX® tools as key wrenches.

Allen keys with a ball-end
Easy insertion of the tool into the screw head at angles up to 25° – ideal for hard-to-reach screws.

XZN triple-square key wrenches
Manufactured to comply strictly with DIN 65253, with grey surface finish.

A hardy perennial: convenient, easy to handle and extremely helpful: key wrenches are a must in any professional set of tools. WITTE makes these classic screwdriving aids into something special. All PRO key wrenches are made from high-grade chrome vanadium steel and feature excellent handling and safety due to the bevelled ends.

43000 Allen keys
high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936



ITEM NO.	○	mm
43001	1.5	47 x 15
43002	2.0	52 x 18
43003	2.5	59 x 21
43004	3.0	66 x 23
43005	3.5	69.5 x 25.5
43006	4.0	74 x 29
43007	4.5	80 x 30.5
43008	5.0	85 x 33
43009	5.5	90.5 x 35.5
43010	6.0	96 x 38
43011	7.0	102 x 41
43012	8.0	108 x 44
43013	9.0	114 x 47
43014	10.0	122 x 50
43015	11.0	129 x 53
43016	12.0	137 x 47
43017	13.0	145 x 63
43018	14.0	154 x 70
43019	15.0	161 x 73
43020	16.0	168 x 76
43021	17.0	177 x 80
43022	18.0	188 x 84
43023	19.0	199 x 89
43024	20.0	200 x 90
43025	21.0	211 x 96
43026	22.0	222 x 102
43027	24.0	248 x 114
43028	27.0	277 x 127
43029	30.0	310 x 142
43030	32.0	347 x 157
43031	36.0	391 x 176

43100 Allen keys, long version
high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936



ITEM NO.	○	mm
43101	1.5	93 x 15
43102	2.0	102 x 18
43103	2.5	116 x 21
43104	3.0	129 x 23
43105	3.5	140 x 25.5
43106	4.0	144 x 29
43107	4.5	156 x 30.5
43108	5.0	165 x 33
43109	5.5	175.5 x 35.5
43110	6.0	186 x 38
43111	7.0	197 x 41
43112	8.0	208 x 44
43113	9.0	219 x 47
43114	10.0	234 x 50
43115	11.0	247 x 53
43116	12.0	262 x 47
43117	13.0	277 x 63
43118	14.0	294 x 70
43119	17.0	337 x 80
43120	19.0	379 x 89

42700 Allen keys, with ball-end
high-grade chrome vanadium steel



ITEM NO.	○	mm
42715	1.5	80 x 14
42702	2.0	85 x 17
42725	2.5	90 x 19
42703	3.0	100 x 21
42704	4.0	110 x 29
42705	5.0	130 x 32
42706	6.0	155 x 36
42708	8.0	175 x 42
42710	10.0	200 x 49
42712	12.0	210 x 45

39400 TORX® key wrenches



ITEM NO.	✪	mm
39454	T 5	44 x 14
39455	T 6	44 x 14
39456	T 7	48 x 16
39457	T 8	48 x 16
39458	T 9	48 x 16
39459	T 10	51 x 17
39460	T 15	54 x 18
39461	T 20	57 x 19
39462	T 25	60 x 20
39463	T 27	64 x 22
39464	T 30	70 x 24
39465	T 40	76 x 26
39466	T 45	83 x 29
39467	T 50	95 x 32
39468	T55	108 x 35
39469	T60	120 x 38

43600 XZN triple-square key wrenches
high-grade chrome vanadium steel, to DIN 65253



ITEM NO.	○	mm
43601	M 5	72 x 25
43602	M 6	80 x 28
43603	M 8	90 x 32
43604	M 10	100 x 36
43605	M 12	112 x 40
43606	M 14	125 x 45



Sets of Allen keys





Quickly accessible
All keys ready to go



Convenient plastic cover
Open cover to access tools



Easy to remove
Tilt using the longer arm to release from clip



All present and correct
Replace tools and close the cover

The advantages
- High-quality and safe: durable, sturdy plastic construction
- Compact: plenty of tools – low space requirement
- Comprehensive: all popular tool sizes included
- Better organised: tools can be removed and replaced individually

45030 set of Allen keys, long version, 9-pcs. set
high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936

Order no. 45050 Order no. 45030

ITEM NO.	○
45030	1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0



45031 set of ball-ended Allen keys, 9-pcs. set
high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936

Order no. 45051 Order no. 45031

ITEM NO.	○
45031	1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0



45032 TORX® key wrenches, 8-pcs. set, gunmetal finish
high-grade chrome vanadium steel

Order no. 45052 Order no. 45032

ITEM NO.	
45032	T9-T10-T15-T20-T25-T27-T30-T40



45020 hexagonal Allen keys, 7-pcs. set
high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936

ITEM NO.	
45020	1.5-2.0-2.5-3.0-4.0-5.0-6.0



45021 hexagonal Allen keys, 9-pcs. set
high-grade chrome vanadium steel, bevelled ends, to DIN ISO 2936

ITEM NO.	
45021	1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0



45034 set of Allen keys, long version, 9-pcs. set
high-grade chrome vanadium steel, several colours

Order no. 45034 Order no. 45054

ITEM NO.	
45034	1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0



44440 set of ball-ended Allen keys, 9-pcs. set, Made in Germany
high-grade chrome vanadium steel, several colours

Order no. 44440 Order no. 44450

ITEM NO.	
45035	1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0



45036 TORX® key wrenches, 8-pcs. set
high-grade chrome vanadium steel, several colours

Order no. 45036 Order no. 45056

ITEM NO.	
45036	T9-T10-T15-T20-T25-T27-T30-T40



MAXX


Pliers & cutters



140 Pliers & cutters

Professional pliers & cutters at a glance

142 MAXX heavy-duty telephone engineer's plier
143 MAXX heavy-duty side-cutter
144 MAXX heavy-duty combination plier
146 MAXX VDE heavy-duty telephone eng. plier
147 MAXX VDE multifunction side-cutter
148 MAXX VDE heavy-duty side-cutter
149 MAXX VDE heavy-duty combination plier
150 MAXX VDE cable shear



TEST WIRES

MH	800 N/mm² or MPa tensile strength for medium hard wire / 23 HRC
H	1600 N/mm² or MPa tensile strength for hard wire / 47 HRC
P	2000 N/mm² or MPa tensile strength for piano wire / 54 HRC

31510 heavy-duty telephone engineer's plier

Matt chrome-plated, 2-component handles cyan/black, to DIN ISO 5743

ITEM NO.	Length	MH	H	P	Weight
31510	220 mm	3.0	2.0	1.4	295 g



Snipe-nose jaws, straight, finely serrated


Innovative design
For improved ergonomics and an unobstructed view of the work site, even in awkward places

Effort-saving special joint with up to 30% better force transmission
For cutting through even the hardest wires easily

2-component handle
For excellent gripping characteristics

S-shaped handles
For a better grip

Perfect ergonomics, tactile materials and the slim shape of the head with the special joint combine to make the 220 mm MAXX heavy-duty telephone engineer's plier the ideal choice in this field of application – even when things get tight. Round-sectioned parts can be easily pulled and even sensitive parts like copper pipes, threads and cables are easy to handle.



Finely serrated tip
For holding workpieces precisely and securely

Wave profile
For holding sensitive materials carefully and precisely

4-point serrated hole
For uncompromising grip and improved holding of flat parts

Additionally induction hardened cutters
For longlife use and for cutting the hardest materials, even piano wire

Hot riveted
To facilitate smooth opening and closing

31511 heavy-duty side-cutter

Matt chrome-plated, 2-component handles cyan/black, to DIN ISO 5749


ITEM NO.	Length	MH	H	P	Weight
31511	180 mm	3.8	2.7	2.3	235 g



The MAXX heavy-duty side-cutter have been specifically developed for extremely long service lives. The cutters, made of the best steel, are able to make very accurate cuts. Long-term. Thanks to the especially well-balanced interaction between the ergonomic design and the optimised design of the joint, remarkably little effort is required.

2-component handle
For excellent gripping characteristics

S-shaped handles
For a better grip



Cutters made of top-quality steel
For longlife use and for cutting the hardest materials, even piano wire

Special joint construction
Reduces effort required by up to 20% in comparison with conventional side-cutters.

Hot riveted
To facilitate smooth opening and closing

31512 heavy-duty combination plier

Matt chrome-plated, 2-component handles cyan/black, to DIN ISO 5746

ITEM NO.	Length	MH	H	P	Weight
31512	180 mm	3.5	2.5	2.0	210 g




Long, accurate cutters
For cutting soft and hard wires

Spring can be retrofitted

2-component handle
For excellent gripping characteristics

S-shaped handles
For a better grip

Slim-line head
And central section, to optimise accessibility



Serrated hole
For uncompromising grip and improved holding of flat parts

Additionally induction hardened cutters
For long service lifetime and for cutting the hardest materials, including piano wire

Effort-saving joint
Reduces the effort required considerably

Thanks to the extra-hard cutters, the MAXX heavy-duty combination plier will cut soft or hard wire with a minimum of effort. Compared with conventional combination pliers, the specially designed effort-saving joint requires up to 30% less effort. The finely crafted serrations make gripping workpieces a simple matter.



31500 VDE heavy-duty telephone engineer's plier

Matt chrome-plated, 2-component red/yellow VDE sleeves, to DIN ISO 5743 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31500	220 mm	3.0	2.0	1.4	295 g



Snipe-nose jaws, straight, finely serrated

Innovative design
For improved ergonomics and an unobstructed view of the work site, even in awkward places

Effort-saving special joint with up to 30% better force transmission
For cutting through even the hardest wires easily

2-component handle
For excellent gripping characteristics

S-shaped handles
For a better grip

Perfect ergonomics, tactile materials and the slim shape of the head with the special joint combine to make the 220 mm MAXX heavy-duty telephone engineer's plier the ideal choice in this field of application – even when things get tight. Round-sectioned parts can be easily pulled and even sensitive parts like copper pipes, threads and cables are easy to grip without damaging them.



Finely serrated tip
For holding workpieces precisely and securely

Wave profile
For holding sensitive materials carefully and precisely

4-point serrated hole
For uncompromising grip and improved holding of flat parts

Additionally induction hardened cutters
For long service lifetime and for cutting the hardest materials, including piano wire

Hot riveted
To facilitate smooth opening and closing

31501 VDE multifunction side-cutter

Matt chrome-plated, 2-component red/yellow VDE sleeves, to DIN ISO 5743 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31501	180 mm	3.5	2.5	2.0	270 g



Offset head
For improved ergonomics, an unobstructed view of the work site and for working in awkward places

Effort-saving special joint with up to 30% better force transmission
For easy crimping

S-shaped handles
For a better grip

2-component handle with slip guard
For outstanding non-slip grip

These MAXX VDE multifunction side-cutter provide no less than six functions in a single tool: as a wire stripper, flat cutter, side-cutters and for crimping terminal sleeves. The tool will also shear off brass screws and bend loops. Excellent ergonomic design ensures accurate, strain-free work.



Straight cutter
For trimming cable ties and copper wire

Strip 1.5 / 2.5 mm² cores,
bend loops with Ø 4 – 6 mm,
crimp sleeves with Ø 1.5 – 2.5 mm

Shear cutter
For straight shearing M 3.5 / M 4 brass screws

31502 VDE heavy-duty side-cutter

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5749 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31502	180 mm	3.8	2.7	2.3	235 g



The MAXX VDE heavy-duty side-cutter have been specifically developed for extremely long service lives. The cutting edges are made from best-quality steel and cut absolutely accurately – permanently.
Thanks to the especially well-balanced interaction between the ergonomic design and the optimised design of the joint, remarkably little effort is required.

2-component handle
For excellent gripping characteristics

S-shaped handles
For a better grip



Cutters made of top-quality steel
For longlife use and for cutting the hardest materials, even piano wire

Special joint construction
Reduces effort required by up to 20% in comparison with conventional side-cutters.

Hot riveted
To facilitate smooth opening and closing

31503 heavy-duty VDE combination plier

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5746 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31503	180 mm	3.5	2.5	2.0	210 g



Long, accurate cutters
For cutting soft and hard wires


MAXX VDE heavy-duty combination plier, with their additionally hardened cutters, cut hard wire as easily as soft wire, with less effort. Compared with conventional combination pliers, up to 30% less effort is required. The finely crafted serrations make gripping workpieces a simple matter.

Spring can be retrofitted

2-component handle
For excellent gripping characteristics

S-shaped handles
For a better grip

Slim-line head
And central section, to optimise accessibility



Serrations
So the tool gets a firmer grip on flat workpieces

Additionally induction hardened cutters
For long service lifetime and for cutting the hardest materials, including piano wire

Effort-saving joint
Reduces the effort required considerably

31504 VDE cable shear

Matt chrome-plated, 2-component red/yellow VDE sleeves, to DIN ISO 5743 and DIN ISO EN 60900

ITEM NO.	Length	Cu/Al	Weight
31504	180 mm	Ø 18 mm / 50 mm²	305 g



One-handed operation
Easy to use thanks to the integrated spring and lock

2-component handles
Ergonomic design ensures strain-free, joint-friendly working

Thanks to the fine cutters, these cable shear ensure clean, extremely smooth-action, accurate cuts, in both solid and multi-stranded copper and aluminium wires.



Finely shaped cutters
For perfect, easy cutting

Precision joint
Ground, bolted and adjustable



PRO

Pliers & cutters

152 **Pliers & cutters**
Overview of combination pliers & cutters

154 PRO radio & telephone engineer's plier
155 PRO side-cutter
156 PRO combination plier
157 PRO water pump plier
158 PRO VDE radio & telephone eng. plier
159 PRO VDE combination plier
160 PRO VDE wire-stripper
161 PRO VDE side-cutter

TEST WIRES

MH 800 N/mm² or MPa tensile strength for medium hard wire / 23 HRC
H 1600 N/mm² or MPa tensile strength for hard wire / 47 HRC
P 2000 N/mm² or MPa tensile strength for piano wire / 54 HRC

31530 telephone engineer's plier

Matt chrome-plated, 2-component handles, cyan/black, to DIN ISO 5745

ITEM NO.	Length	MH	H	P	Weight
31530	200 mm	2.8	1.8		190 g




Firm grip, clean cuts
Long jaws and high-grade cutting edges for precision jobs and wire cutting

2-component handle
For excellent gripping characteristics

S-shaped handles
For easier gripping and cutting actions

The straight, 200 mm long radio and telephone engineer's plier in the PRO series are ideal for precision jobs and cutting wires. Made in Germany, of course, and a perfect blend of materials from matt chrome-plated steel to the 2-component handles, that unite excellent tactile feedback with ergonomic design.



Matt chrome-plated
Serrations

Additionally induction hardened cutters
Ideal for precision jobs and cutting wires

31531 side-cutter

Matt chrome-plated, 2-component handles, cyan/black, to DIN ISO 5749

ITEM NO.	Length	MH	H	P	Weight
31531	160 mm	3.0	2.3	1.6	220 g



Versatile cutters
For soft and hard wire

2-component handle
Tough, soft-grip handles

S-shaped handles
For easier gripping and cutting actions

The PRO side-cutter are ideal for all day-to-day applications. The precision cutters slice through hard and soft wire, while the sturdy joint ensures optimum force transmission.



Accurate cutting action, cutters made of high-grade steel
For versatile application

31532 combination plier

Matt chrome-plated, 2-component handles cyan/black, to DIN ISO 5746

ITEM NO.	Length	MH	H	P	Weight
31532	180 mm	2.8	2.5		265 g



Finely serrated jaws
For a powerful grip

2-component handle
For excellent gripping characteristics


S-shaped handles
For easier gripping and cutting actions

Bevelled edge
For improved accessibility.

4-point serrated hole
For a firm grip

Precision cutters
For soft and hard wire

Matt chrome-plated



Your daily helper in innumerable situations: the WITTE PRO combination plier. Grips tightly and cuts soft and hard wires. The bevelled edge improves accessibility.

31533 water pump plier

Matt chrome-plated, 2-component handles, cyan/black, to DIN ISO 8976

ITEM NO.	Length	R	S	Weight
31533	250 mm	1/8" – 1 1/4"	6 – 38 mm	350 g



Self-grip function on pipes and nuts – safe and energy-saving

Quick-fit adjuster
Allows rapid adjustment to the workpiece


Slim but highly resilient, thanks to best quality chrome vanadium steel

The PRO water pump plier enable extremely fast, reliable working. The tool adapts easily to changes in workpiece size due to the quick-fit adjuster. The box joint and additionally hardened teeth ensure a firm grip – even in tight corners, thanks to the slime-line construction.

For a firm grip
Teeth additionally hardened

Box joint and additionally hardened teeth
For enduring reliability

Fine adjustment
Quick adjustment to the workpiece without having to press a button



31520 VDE radio and telephone engineer's plier

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5745 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31520	200 mm	2.8	1.8		190 g




Firm grip, clean cuts
Long jaws and high-grade cutting edges for precision jobs and wire cutting

2-component handle
For excellent gripping characteristics

S-shaped handles
For easier gripping and cutting actions

The straight, 200 mm long radio and telephone engineer's plier in the PRO VDE series are ideal for precision jobs and cutting wires. Made in Germany, of course, and a perfect blend of materials from matt chrome-plated steel to the 2-component handles, that unite excellent tactile feedback with ergonomic design.



Matt chrome-plated
Serrations

Additionally induction hardened cutters
Ideal for precision jobs and cutting wires

31521 VDE heavy-duty combination plier

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5746 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31521	180 mm	2.8	2.5	1.6	265 g



Finely serrated jaws
For a powerful grip.

2-component handle
For outstanding grip

S-shaped handles
For easier gripping and cutting actions

Your daily helper in innumerable situations: the WITTE PRO VDE combination plier. Grips tightly and cuts soft and hard wires. The bevelled edge improves accessibility. Like all tools made by WITTE, the PRO combination plier fit snugly in your hand.

Bevelled edge
For improved accessibility

4-point serrated hole
For a firm grip

Precision cutters
For soft and hard wire

Matt chrome-plated



31522 VDE wire-stripper

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5743 and DIN ISO EN 60900

ITEM NO.	Length	Max. core diameter	Weight
31522	160 mm	Ø 5 mm / 10 mm²	165 g



Accurate working
With spring, set screw and locknut


2-component handle
For minimum effort

S-shaped handles
For easier gripping and cutting actions

These wire-stripper remove the plastic or rubber insulation sheath from all popular flexible and solid wires easily and without damaging the conductor. The diameter of the conductor is quickly and accurately set using the set screw.

For all standard wires
Up to a conductor Ø of 0.5 mm or cross-section of 10 mm²

Gives access to hard-to-reach places



The turning point
For peak accuracy

31523 VDE side-cutter

Matt chrome-plated, 2-component VDE handle coatings in red/yellow, to DIN ISO 5749 and DIN ISO EN 60900

ITEM NO.	Length	MH	H	P	Weight
31523	160 mm	3.0	2.3	1.6	220 g



Versatile cutters
For soft and hard wire

The PRO VDE side-cutter are ideal for all day-to-day applications. The precision cutters slice through hard and soft wire, while the sturdy joint ensures optimum force transmission.

2-component handle
Tough, soft-grip handles

S-shaped handles
For easier gripping and cutting actions

Accurate cutting action, cutters made of high-grade steel
For versatile application



MAXX

Bits



162 Bits

Professional bits at a glance

164 MAXX Impact
170 MAXX Stainless
174 MAXX Extra hard
176 MAXX TIN
184 MAXX Diamond

MAXX

Impact bits



Particularly elastic for use with impact screwdrivers

Professional battery-powered impact screwdrivers are becoming ever more powerful. Time for the WITTE impact bit. Thanks to its individual torsional construction and the special heat-treatment, it provides much increased service lifetimes compared with conventional bits. The elastic material absorbs the impact of the screwdriving action and effectively protects the bit.

The compact construction means the bits, with a length of 38 mm, can be used directly in impact screwdriver without a holder.

PH
for PHILLIPS recess screws



ITEM NO.	⊕	mm	1/4" drive ⬣
28520	PH 1	38	E6.3
28521	**PH 2**	**38**	**E6.3**
28522	PH 3	38	E6.3

PZ
for POZIDRIV screws



ITEM NO.	⊕	mm	1/4" drive ⬣
28523	PZ 1	38	E6.3
28524	**PZ 2**	**38**	**E6.3**
28525	PZ 3	38	E6.3

TORX®




ITEM NO.	✪	mm	1/4" drive ⬣
28490	T 15	38	E6.3
28491	**T 20**	**38**	**E6.3**
28492	T 25	38	E6.3
28493	**T 30**	**38**	**E6.3**
28494	T 40	38	E6.3

DRY WALL
Impact bit PH2



ITEM NO.	⊕	mm	1/4" drive ⬣
28621	PH 2	38	E6.3



PH
for PHILLIPS recess screws

1 unit on a blister card

ITEM NO.		mm	1/4" drive
28376	PH 1	38	E6,3
28377	PH 2	38	E6,3
28378	PH 3	38	E6,3



Article may deviate from illustration

PZ
for POZIDRIV screws

1 unit on a blister card

ITEM NO.		mm	Antrieb 1/4"
28379	PZ 1	38	E6,3
28380	PZ 2	38	E6,3
28381	PZ 3	38	E6,3



Article may deviate from illustration

TORX®

1 unit on a blister card

ITEM NO.		mm	1/4" drive
28371	T 15	38	E6,3
28372	T 20	38	E6,3
28373	T 25	38	E6,3
28374	T 30	38	E6,3
28375	T 40	38	E6,3



Article may deviate from illustration

PH
for PHILLIPS recess screws

3 bits in plastic case

ITEM NO.		mm	1/4" drive
428555	PH 1	38	E6,3
428556	PH 2	38	E6,3
428557	PH 3	38	E6,3



Article may deviate from illustration

PZ
for POZIDRIV screws

3 bits in plastic case

ITEM NO.		mm	1/4" drive
428558	PZ 1	38	E6,3
428559	PZ 2	38	E6,3
428560	PZ 3	38	E6,3



Article may deviate from illustration

TORX®

3 bits in plastic case

ITEM NO.		mm	1/4" drive
428550	T 15	38	E6,3
428551	T 20	38	E6,3
428552	T 25	38	E6,3
428553	T 30	38	E6,3
428554	T 40	38	E6,3



Article may deviate from illustration

COMBIT-BOX® IMPACT, 6-pcs. set

Order no. 28570 | Order no. 33000

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28490	T 15	38 mm	E6.3
1	28491	T 20	38 mm	E6.3
2	28492	T 25	38 mm	E6.3
1	28493	T 30	38 mm	E6.3
1	28494	T 40	38 mm	E6.3



COMBIT-BOX® IMPACT, 10-pcs. set

Order no. 28477 | Order no. 28478

Qty	ITEM NO.	Drive	mm	1/4" drive
1	28376	PH 1	38 mm	E6.3
1	28377	PH 2	38 mm	E6.3
1	28378	PH 3	38 mm	E6.3
1	28379	PZ 1	38 mm	E6.3
1	28380	PZ 2	38 mm	E6.3
1	28381	PZ 3	38 mm	E6.3
1	28371	T 15	38 mm	E6.3
1	28372	T 20	38 mm	E6.3
1	28373	T 25	38 mm	E6.3
1	28374	T 30	38 mm	E6.3




28430 IMPACT BIT SET, 21-pcs. set

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60 mm	E6.3
1	28520	PH 1	38 mm	E6.3
2	28521	PH 2	38 mm	E6.3
2	28522	PH 3	38 mm	E6.3
2	28523	PZ 1	38 mm	E6.3
1	28524	PZ 2	38 mm	E6.3
2	28525	PZ 3	38 mm	E6.3
2	28490	T 15	38 mm	E6.3
2	28491	T 20	38 mm	E6.3
2	28492	T 25	38 mm	E6.3
2	28493	T 30	38 mm	E6.3
2	28494	T 40	38 mm	E6.3




MADE IN GERMANY
SINCE 1785.



COMBIT-BOX®

The advantages

- High-quality and safe: durable, sturdy plastic construction
- Compact: plenty of tools – low space requirement
- Comprehensive: all popular tool sizes included



Open the box by twisting the upper part slightly ...



... which gives easy access to the bits and bit holder.



Try the convenient stand function

MAXX

Stainless bits



For safe working with stainless steel screws

If stainless steel screws are not tightened with stainless steel tools, there is likely to be abrasion. This often results in extraneous rust and can even cause pitting corrosion that jeopardises safety. WITTE stainless bits are specially vacuum ice-hardened for use in professional work environments and boast special hardness and strength characteristics. This weather and corrosion resistant material enables it to be used outdoors, in solar technology, marine engineering, the food processing industry and many other sensitive fields of application.

PH
for PHILLIPS recess screws



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
28501	PH 1	25	C6.3
28502	PH 2	25	C6.3
28503	PH 3	25	C6.3

PZ
for POZIDRIV screws



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
28511	PZ 1	25	C6.3
28512	PZ 2	25	C6.3
28513	PZ 3	25	C6.3

TORX®



DIN ISO1173

ITEM NO.	✪	mm	1/4" drive ⬣
28530	T 10	25	C6.3
28531	T 15	25	C6.3
28532	T 20	25	C6.3
28533	T 25	25	C6.3
28534	T 27	25	C6.3
28535	T 30	25	C6.3
28536	T 40	25	C6.3

EDELSTAHL Rostfrei INOX STAINLESS STEEL

PH
for PHILLIPS recess screws

1 unit on a blister card

ITEM NO.		mm	1/4" drive
26511	PH 1	25	C6.3
26512	**PH 2**	**25**	**C6.3**
26513	PH 3	25	C6.3



Article may deviate from illustration

PZ
for POZIDRIV screws

1 unit on a blister card

ITEM NO.		mm	1/4" drive
26521	PZ 1	25	C6.3
26522	**PZ 2**	**25**	**C6.3**
26523	PZ 3	25	C6.3



Article may deviate from illustration

TORX®

1 unit on a blister card

ITEM NO.		mm	1/4" drive
26530	T 10	25	C6.3
26531	**T 15**	**25**	**C6.3**
26532	T 20	25	C6.3
26533	**T 25**	**25**	**C6.3**
26534	T 27	25	C6.3
26535	**T 30**	**25**	**C6.3**
26536	T 40	25	C6.3



Article may deviate from illustration

RATCHDRIVE® STAINLESS
Order no. 25103

Qty		ITEM NO.	Drive	mm	1/4" drive
1				60	E6.3
1		**28530**	**T 10**	**25**	**C6.3**
1		28531	T 15	25	C6.3
1		**28532**	**T 20**	**25**	**C6.3**
1		28533	T 25	25	C6.3
1		**28535**	**T 30**	**25**	**C6.3**
1		28536	T 40	25	C6.3



Application see p. 183

COMBIT-BOX® STAINLESS. 7-pcs. set
12 Order no. 28556 Order no. 33100

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		**28530**	**T 10**	**25**	**C6.3**
1		28531	T 15	25	C6.3
1		**28532**	**T 20**	**25**	**C6.3**
1		28533	T 25	25	C6.3
1		**28535**	**T 30**	**25**	**C6.3**
1		28536	T 40	25	C6.3



Application see p. 169

COMBIT-BOX® STAINLESS. 11-pcs. set
12 Order no. 28451 Order no. 28461

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		**28530**	**T 10**	**25**	**C6.3**
1		28531	T 15	25	C6.3
1		**28532**	**T 20**	**25**	**C6.3**
1		28533	T 25	25	C6.3
1		**28535**	**T 30**	**25**	**C6.3**
1		28536	T 40	25	C6.3
1		**28501**	**PH 1**	**25**	**C6.3**
1		28502	PH 2	25	C6.3
1		**28511**	**PZ 1**	**25**	**C6.3**
1		28512	PZ 2	25	C6.3



Application see p. 169

MAXX

Extra-hard bits



Extra-hard bits for low and uniformly increasing torques

WITTE extra-hard industrial bits are particularly well suited to fastener tightening at low, but steadily increasing torques during which large amounts of wear & tear occur, such as during cam-out. The special hardness of 62–64 HRC guarantees long service lifetimes.

PH
for PHILLIPS recess screws



Extra hard
DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27120	PH 1	25	C6.3
27121	**PH 2**	**25**	**C6.3**
27122	PH 3	25	C6.3



Extra hard, truncated tip
DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27123	PH 2	25	C6.3

PZ
for POZIDRIV screws



Extra hard
DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27245	PZ 1	25	C6.3
27246	**PZ 2**	**25**	**C6.3**
27247	PZ 3	25	C6.3



Extra hard, truncated tip
DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27248	PZ 2	25	C6.3

MAXX

TIN bits



Optimum resistance to wear thanks to very hard titanium nitride (TIN) coating

The titanium nitride coating on the bits has a hardness of approx. 2800 HV and is ideally suited to screw-tightening sequences.

Thanks to the longer lifetimes and much reduced retooling times, there are considerable saving effects here.

PH

for PHILLIPS recess screws



BITFLEX
with the damping zone between the drive and tip



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
28421	PH 1	25	6.3 mm
28422	PH 2	25	6.3 mm
28423	PH 3	25	6.3 mm

ITEM NO.	⊕	mm	1/4" drive ⬣
27320	PH 1	25	C6.3
27321	PH 2	25	C6.3
27322	PH 3	25	C6.3



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27551	PH 1	50	E6.3
27552	PH 2	50	E6.3
27553	PH 3	50	E6.3

PZ

for POZIDRIV screws



BITFLEX
with the damping zone between the drive and tip



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
28445	PZ 1	25	6.3 mm
28446	PZ 2	25	6.3 mm
28447	PZ 3	25	6.3 mm

ITEM NO.	⊕	mm	1/4" drive ⬣
27345	PZ 1	25	C6.3
27346	PZ 2	25	C6.3
27347	PZ 3	25	C6.3



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27541	PZ 1	50	E6.3
27542	PZ 2	50	E6.3
27543	PZ 3	50	E6.3

Slotted



DIN ISO1173

ITEM NO.	mm	mm	1/4" drive ⬣
26431	0.6 x 4.5	25	C6.3
26432	0.8 x 5.5	25	C6.3
26434	1.2 x 6.5	25	C6.3



DIN ISO1173

ITEM NO.	mm	mm	1/4" drive ⬣
27531	0.6 x 4.5	50	E6.3
27532	0.8 x 5.5	50	E6.3
27534	1.2 x 6.5	50	E6.3

TORX®



DIN ISO1173

ITEM NO.		mm	1/4" drive
29513	T 10	25	C6.3
29514	**T 15**	**25**	**C6.3**
29515	T 20	25	C6.3
29516	**T 25**	**25**	**C6.3**
29517	T 27	25	C6.3
29518	**T 30**	**25**	**C6.3**
29519	T 40	25	C6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
29613	T 10	50	E6.3
29614	**T 15**	**50**	**E6.3**
29615	T 20	50	E6.3
29616	**T 25**	**50**	**E6.3**
29617	T 27	50	E6.3
29618	**T 30**	**50**	**E6.3**
29619	T 40	50	E6.3

TORX® TAMPER RESISTANT



DIN ISO1173

ITREM NO.		mm	1/4" drive
29593	TR 10	25	C6.3
29594	**TR 15**	**25**	**C6.3**
29595	TR 20	25	C6.3
29596	**TR 25**	**25**	**C6.3**
29597	TR 27	25	C6.3
29598	**TR 30**	**25**	**C6.3**
29599	TR 40	25	C6.3

PH
for PHILLIPS recess screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
27324	PH 1	25	C6.3
26708	**PH 2**	**25**	**C6.3**
27326	PH 3	25	C6.3



Article may deviate from illustration

PZ
for POZIDRIV screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26661	PZ 1	25	C6.3
26662	**PZ 2**	**25**	**C6.3**
26663	PZ 3	25	C6.3



Article may deviate from illustration

PH
for PHILLIPS recess screws

ITEM NO.		Qty	mm	1/4" drive
427320	PH 1	10	25	C6.3
427321	**PH 2**	**10**	**25**	**C6.3**
427322	PH 3	10	25	C6.3



Article may deviate from illustration

PZ
for POZIDRIV screws

ITEM NO.		Qty	mm	1/4" drive
427345	PZ 1	10	25	C6.3
427346	**PZ 2**	**10**	**25**	**C6.3**
427347	PZ 3	10	25	C6.3



Article may deviate from illustration

PH BITFLEX
for PHILLIPS recess screws

1 unit on a blister card

ITEM NO.		mm	1/4" drive
26795	PH 1	25	6.3 mm
26796	**PH 2**	**25**	**6.3 mm**
26797	PH 3	25	6.3 mm



Article may deviate from illustration

PZ BITFLEX
for POZIDRIV screws

1 unit on a blister card

ITEM NO.		mm	1/4" drive
26825	PZ 1	25	6.3 mm
26826	**PZ 2**	**25**	**6.3 mm**
26827	PZ 3	25	6.3 mm



Article may deviate from illustration

PH BITFLEX TIN
for PHILLIPS recess screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
428422	PH 2	15	25	6.3 mm



Article may deviate from illustration

PZ BITFLEX TIN
for POZIDRIV screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
428446	PZ 2	15	25	6.3 mm



Article may deviate from illustration

PH TIN – 50 MM
for PHILLIPS recess screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427552	PH 2	5	50	E6.3



Article may deviate from illustration

PZ TIN – 50 MM
for POZIDRIV screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427542	PZ 2	5	50	E6.3



Article may deviate from illustration

COMBIT-BOX® BITFLEX TIN, 7-pcs. set
Order no. 28555 | Order no. 33200

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		28421	PH 1	25	C6.3
1		28422	PH 2	25	C6.3
1		28423	PH 3	25	C6.3
1		28445	PZ 1	25	C6.3
1		28446	PZ 2	25	C6.3
1		28447	PZ 3	25	C6.3



Application see p. 169

COMBIT-BOX® BITFLEX TIN, 11-pcs. set
Order no. 28453 | Order no. 28463

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		28421	PH 1	25	C6.3
3		28422	PH 2	25	C6.3
1		28423	PH 3	25	C6.3
1		28445	PZ 1	25	C6.3
3		28446	PZ 2	25	C6.3
1		28447	PZ 3	25	C6.3



Application see p. 169

RATCHDRIVE® TIN
Order no. 25104

Qty		ITEM NO.	Drive	mm	1/4" drive
1				60	E6.3
1		27320	PH 1	25	C6.3
1		27321	PH 2	25	C6.3
1		27322	PH 3	25	C6.3
1		27345	PZ 1	25	C6.3
1		27346	PZ 2	25	C6.3
1		27347	PZ 3	25	C6.3



Application see p. 183

RATCHDRIVE® BITFLEX TIN
Order no. 25105

Qty		ITEM NO.	Drive	mm	1/4" drive
1				60	E6.3
1		28421	PH 1	25	C6.3
1		28422	PH 2	25	C6.3
1		28423	PH 3	25	C6.3
1		28445	PZ 1	25	C6.3
1		28446	PZ 2	25	C6.3
1		28447	PZ 3	25	C6.3



Application see p. 183



MADE IN GERMANY
SINCE 1785.



RATCHDRIVE®-BOX

The advantages


- Powerful, fine action ratchet mechanism, integrated in a compact bit box
- One quick-change holder and six high-quality bits in various sets provide just the right tool for every screwdriving job



Easy removal of the bits and quick-change holder.



Insert the quick-change holder (to change ratchet direction, simply insert the bit holder from the other side) ...



and you can apply the convenient, safe ratchet function.

MAXX

Diamond bits



Low contact pressure thanks to fine diamond particles that bite into the screw head

MAXX Diamond bits with the microparticle diamond coating bite into the surface of the screw head recess. Cam-out is reduced in this way by a considerable amount. This is particularly critical when the surrounding surfaces are sensitive or expensive.

With the microparticle diamond coating, WITTE DIAMOND bits provide unbeatable grip and, thanks to the high-grade gold coating, optimum corrosion protection.

PH
for PHILLIPS recess screws



BITFLEX
with the damping zone between the drive and tip



DIN ISO1173

ITEM NO.	PH	mm	1/4" drive
27971	PH 1	25	6.3 mm
27972	PH 2	25	6.3 mm
27973	PH 3	25	6.3 mm

ITEM NO.	PH	mm	1/4" drive
27391	PH 1	25	C6.3
27392	PH 2	25	C6.3
27393	PH 3	25	C6.3

PZ
for POZIDRIV screws



BITFLEX
with the damping zone between the drive and tip



DIN ISO1173

ITEM NO.	PZ	mm	1/4" drive
28011	PZ 1	25	6.3 mm
28012	PZ 2	25	6.3 mm
28013	PZ 3	25	6.3 mm

ITEM NO.	PZ	mm	1/4" drive
27611	PZ 1	25	C6.3
27612	PZ 2	25	C6.3
27613	PZ 3	25	C6.3

PH
for PHILLIPS recess screws

1 unit on a blister card

ITEM NO.	PH	mm	1/4" drive
26630	PH 1	25	C6.3
26631	PH 2	25	C6.3
26632	PH 3	25	C6.3



Article may deviate from illustration

PZ
for POZIDRIV screws

1 unit on a blister card

ITEM NO.	PZ	mm	1/4" drive
26636	PZ 1	25	C6.3
26637	PZ 2	25	C6.3
26638	PZ 3	25	C6.3



Article may deviate from illustration

RATCHDRIVE® DIAMOND

Order no. 25106

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	**27391**	PH 1	25	C6.3
1	27392	PH 2	25	C6.3
1	**27393**	PH 3	25	C6.3
1	27611	PZ 1	25	C6.3
1	**27612**	PZ 2	25	C6.3
1	27613	PZ 3	25	C6.3



Application see p. 183

COMBIT-BOX® DIAMOND, 7-pcs. set

12 Order no. 28557 Order no. 33300

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	**27391**	PH1	25	C6.3
1	27392	PH2	25	C6.3
1	**27393**	PH3	25	C6.3
1	27611	PZ1	25	C6.3
1	**27612**	PZ2	25	C6.3
1	27613	PZ3	25	C6.3



Application see p. 169

COMBIT-BOX® DIAMOND, 11-pcs. set

12 Order no. 28452 Order no. 28462

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	**27391**	PH1	25	C6.3
3	27392	PH2	25	C6.3
1	**27393**	PH3	25	C6.3
1	27611	PZ1	25	C6.3
3	**27612**	PZ2	25	C6.3
1	27613	PZ3	25	C6.3



Application see p. 169



PRO

Bits



188 **Bits**
Industrial bits at a glance

190 PRO Bits
202 PRO bitholder

PRO Bits



Robust quality bits for industrial use

WITTE PRO bits have proved their worth due to their consistently high quality – resulting from state-of-the-art production processes.

The complex hardening process guarantees permanent hardness of 59–61 HRC to meet tough requirements in industry and the trades.

PZ
for POZIDRIV screws



BITFLEX
with the damping zone between the drive and tip

ITEM NO.	⊕	mm	1/4" drive ⬣
28045	PZ 1	25	6.3 mm
28046	PZ 2	25	6.3 mm
28047	PZ 3	25	6.3 mm



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27043	PZ 0	25	C6.3
27045	PZ 1	25	C6.3
27046	PZ 2	25	C6.3
27047	PZ 3	25	C6.3
27052	PZ 2	32	C6.3
27053	PZ 3	32	C6.3
27048	PZ 4	32	C6.3



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27545	PZ 1	50	E6.3
27546	PZ 2	50	E6.3
27547	PZ 3	50	E6.3
27548	PZ 4	50	E6.3



Truncated tip
DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27057	PZ 2	25	C6.3



DIN ISO1173

ITEM NO.	⊕	mm	1/4" drive ⬣
27560	PZ 1	70	E6.3
27565	PZ 2	70	E6.3
27570	PZ 3	70	E6.3
27561	PZ 1	90	E6.3
27566	PZ 2	90	E6.3
27571	PZ 3	90	E6.3
27562	PZ 1	110	E6.3
27567	PZ 2	110	E6.3
27572	PZ 3	110	E6.3
27563	PZ 1	125	E6.3
27568	PZ 2	125	E6.3
27573	PZ 3	125	E6.3
27564	PZ 1	150	E6.3
27569	PZ 2	150	E6.3
27574	PZ 3	150	E6.3



DIN ISO1173

ITEM NO.	⊕	mm	5/16" drive ⬣
27811	PZ 1	32	C8
27812	PZ 2	32	C8
27813	PZ 3	32	C8
27814	PZ 4	32	C8



DIN ISO1173

ITEM NO.	⊕	mm	Drive 5.5 mm ⬣
30701	PZ 1	50	A5.5
30702	PZ 2	50	A5.5
30703	PZ 3	50	A5.5



DIN ISO1173

ITEM NO.	⊕	mm	7.0 mm drive ⬣
30801	PZ 1	53	G7
30802	PZ 2	53	G7
30803	PZ 3	53	G7

PH
for PHILLIPS recess screws



BITFLEX
with the damping zone
between the drive and tip

ITEM NO.		mm	1/4" drive
28021	PH 1	25	6.3 mm
28022	PH 2	25	6.3 mm
28023	PH 3	25	6.3 mm



DIN ISO1173

ITEM NO.		mm	1/4" drive
27018	PH 0	25	C6.3
27020	PH 1	25	C6.3
27021	PH 2	25	C6.3
27022	PH 3	25	C6.3
27012	PH 2	32	C6.3
27013	PH 3	32	C6.3
27023	PH 4	32	C6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
27520	PH 1	50	E6.3
27521	PH 2	50	E6.3
27522	PH 3	50	E6.3
27523	PH 4	50	E6.3



Truncated tip
DIN ISO1173

ITEM NO.		mm	1/4" drive
27036	PH 2	25	C6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
27450	PH 1	70	E6.3
27455	PH 2	70	E6.3
27460	PH 3	70	E6.3
27451	PH 1	90	E6.3
27456	PH 2	90	E6.3
27461	PH 3	90	E6.3
27452	PH 1	110	E6.3
27457	PH 2	110	E6.3
27462	PH 3	110	E6.3
27453	PH 1	125	E6.3
27458	PH 2	125	E6.3
27463	PH 3	125	E6.3
27454	PH 1	150	E6.3
27459	PH 2	150	E6.3
27464	PH 3	150	E6.3



DIN ISO1173

ITEM NO.		mm	5/16" drive
27801	PH 1	32	C8
27802	PH 2	32	C8
27803	PH 3	32	C8
27804	PH 4	32	C8



DIN ISO1173

ITEM NO.		mm	5.5 mm drive
30691	PH 1	50	A5.5
30692	PH 2	50	A5.5
30693	PH 3	50	A5.5



DIN ISO1173

ITEM NO.		mm	7.0 mm drive
30791	PH 1	53	G7
30792	PH 2	53	G7
30793	PH 3	53	G7

TORX®



DIN ISO1173

ITEM NO.		mm	1/4" drive
29459	T 4	25	C6.3
29460	T 5	25	C6.3
29490	T 6	25	C6.3
29495	T 7	25	C6.3
29501	T 8	25	C6.3
29502	T 9	25	C6.3
29503	T 10	25	C6.3
29504	T 15	25	C6.3
29505	T 20	25	C6.3
29506	T 25	25	C6.3
29507	T 27	25	C6.3
29508	T 30	25	C6.3
29509	T 40	25	C6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
29603	T 10	50	E6.3
29604	T 15	50	E6.3
29605	T 20	50	E6.3
29606	T 25	50	E6.3
29607	T 27	50	E6.3
29608	T 30	50	E6.3
29609	T 40	50	E6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
29671	T 10	70	E6.3
29672	T 15	70	E6.3
29673	T 20	70	E6.3
29674	T 25	70	E6.3
29675	T 27	70	E6.3
29676	T 30	70	E6.3
29677	T 40	70	E6.3
29681	T 10	90	E6.3
29682	T 15	90	E6.3
29683	T 20	90	E6.3
29684	T 25	90	E6.3
29685	T 27	90	E6.3
29686	T 30	90	E6.3
29687	T 40	90	E6.3
29691	T 10	150	E6.3
29692	T 15	150	E6.3
29693	T 20	150	E6.3
29694	T 25	150	E6.3
29695	T 27	150	E6.3
29696	T 30	150	E6.3
29697	T 40	150	E6.3



DIN ISO1173

ITEM NO.		mm	5/16" drive
27820	T 25	35	C8
27821	T 27	35	C8
27822	T 30	35	C8
27823	T 40	35	C8
27824	T 45	35	C8
27825	T 50	35	C8
27827	T55	35	C8

TORX® TAMPER RESISTANT



DIN ISO1173

ITREM NO.		mm	1/4" drive
29477	TR 7	25	C6.3
29478	TR 8	25	C6.3
29479	TR 9	25	C6.3
29480	TR 10	25	C6.3
29481	TR 15	25	C6.3
29482	TR 20	25	C6.3
29483	TR 25	25	C6.3
29484	TR 27	25	C6.3
29485	TR 30	25	C6.3
29486	TR 40	25	C6.3

Five-star



DIN ISO1173

ITEM NO.		mm	1/4" drive
26870	IPR 10	25	C6.3
26871	IPR 15	25	C6.3
26872	IPR 20	25	C6.3
26873	IPR 25	25	C6.3
26874	IPR 27	25	C6.3
26875	IPR 30	25	C6.3
26876	IPR 40	25	C6.3

SPANNER BITS



Tamper-proof bits
for security fasteners

ITEM NO.		mm	mm	1/4" drive
26481	4	0.8 x 3.5	25	C6.3
26482	6	0.8 x 4.3	25	C6.3
26483	8	1.0 x 5.3	25	C6.3
26484	10	1.2 x 6.2	25	C6.3

Slotted



DIN ISO1173

ITEM NO.	mm	mm	1/4" drive
26410	0.5 x 4.0	25	C6.3
26411	0.6 x 4.5	25	C6.3
26412	0.8 x 5.5	25	C6.3
26413	1.0 x 6.0	25	C6.3
26414	1.2 x 6.5	25	C6.3
26415	1.6 x 8.0	25	C6.3
26416	1.6 x 9.0	38	C6.3



DIN ISO1173

ITEM NO.	mm	mm	1/4" drive
27510	0.5 x 4.0	50	E6.3
27511	0.6 x 4.5	50	E6.3
27512	0.8 x 5.5	50	E6.3
27513	1.0 x 6.0	50	E6.3
27514	1.2 x 6.5	50	E6.3
27515	1.6 x 8.0	50	E6.3
27516	1.6 x 9.0	50	E6.3



DIN ISO1173

ITEM NO.	mm	mm	5/16" drive
27828	0.8 x 5.5	41	C8
27831	1.0 x 6.0	41	C8
27829	1.2 x 6.5	41	C8
27832	1.6 x 8.0	41	C8
27833	1.6 x 10.0	41	C8
27834	2.0 x 12.0	41	C8



DIN ISO1173

ITEM NO.	mm	mm	5.5 mm drive
30680	0.5 x 4.0	50	A5.5
30681	0.6 x 4.5	50	A5.5
30682	0.8 x 5.5	50	A5.5
30683	1.0 x 6.0	50	A5.5
30684	1.2 x 6.5	50	A5.5
30685	1.6 x 8.0	50	A5.5



DIN ISO1173

ITEM NO.	mm	mm	7.0 mm drive
30780	0.5 x 4.0	53	G7
30781	0.6 x 4.5	53	G7
30782	0.8 x 5.5	53	G7
30783	1.0 x 6.0	53	G7
30784	1.2 x 6.5	53	G7
30785	1.6 x 8.0	53	G7

XZN triple-square



DIN ISO1173

ITEM NO.		mm	1/4" drive
27414	M 4	25	C6.3
27415	M 5	25	C6.3
27416	M 6	25	C6.3
27418	M 8	25	C6.3



DIN ISO1173

ITEM NO.		mm	5/16" drive
27840	M 4	35	C8
27841	M 5	35	C8
27842	M 6	35	C8
27843	M 8	35	C8
27844	M 10	35	C8
27845	M 12	35	C8

Square drive



DIN ISO1173

ITEM NO.		mm	1/4" drive
27091	1	25	C6.3
27092	2	25	C6.3
27093	3	25	C6.3



DIN ISO1173

ITEM NO.		mm	1/4" drive
27591	1	50	E6.3
27592	2	50	E6.3
27593	3	50	E6.3

MODUL PHILLIPS

for +/- screws in electrical installations



DIN ISO1173

ITEM NO.		mm	1/4" drive
26461	PH 1 / MODUL	70	E6.3
26462	PH 2 / MODUL	70	E6.3

MODUL POZIDRIV

for +/- screws in electrical installations



DIN ISO1173

ITEM NO.		mm	1/4" drive
26471	PZ 1 / MODUL	70	E6.3
26472	PZ 2 / MODUL	70	E6.3

TORQ-SET



DIN ISO1173

ITEM NO.		mm	1/4" drive
27330	TS 0	25	C6.3
27331	TS 1	25	C6.3
27332	TS 2	25	C6.3
27333	TS 3	25	C6.3
27334	TS 4	25	C6.3
27335	TS 5	25	C6.3
27336	TS 6	25	C6.3
27337	TS 8	25	C6.3
27338	TS 10	25	C6.3
27339	TS 1/4"	32	C6.3



DIN ISO1173

ITEM NO.		mm	5/16" drive
27394	TS 8	32	C8
27395	TS 10	32	C8
27396	TS 1/4"	32	C8
27397	TS 5/16"	32	C8
27398	TS 3/8"	32	C8

Internal hex



DIN ISO1173

ITEM NO.	○	mm	1/4" drive ⬣
27080	1.5	25	C6.3
27081	2	25	C6.3
27082	2.5	25	C6.3
27083	3	25	C6.3
27084	4	25	C6.3
27085	5	25	C6.3
27086	6	25	C6.3
27087	8	25	C6.3



DIN ISO1173

ITEM NO.	○	mm	1/4" drive ⬣
27193	3	50	E6.3
27194	4	50	E6.3
27195	5	50	E6.3
27196	6	50	E6.3
27198	8	50	E6.3



DIN ISO1173

ITEM NO.	○	mm	5/16" drive ⬣
27851	4	30	C8
27852	5	30	C8
27853	6	30	C8
27854	7	30	C8
27855	8	30	C8
27856	10	30	C8



DIN ISO1173

ITEM NO.	○	mm	5.5 mm drive ⬣
30753	3	50	A5.5
30754	4	50	A5.5
30755	5	50	A5.5
30756	6	50	A5.5
30758	8	50	A5.5

Ball-end



DIN ISO1173

ITEM NO.	○	mm	1/4" drive ⬣
27183	3	50	E6.3
27184	4	50	E6.3
27185	5	50	E6.3
27186	6	50	E6.3

External hex



Magnetic
DIN ISO1173

ITEM NO.	⬣	mm	1/4" drive ⬣
26231	5	45	E6.3
26232	5.5	45	E6.3
26233	6	45	E6.3
26234	7	45	E6.3
26235	8	45	E6.3
26236	9	45	E6.3
26237	10	45	E6.3
26238	11	45	E6.3
26239	12	45	E6.3
26240	13	45	E6.3
26241	1/4"	45	E6.3
26242	3/8"	45	E6.3
26243	5/16"	45	E6.3

TRI-WING



DIN ISO1173

ITEM NO.	▽	mm	1/4" drive ⬣
27480	TW 0	25	C6.3
27481	TW 1	25	C6.3
27482	TW 2	25	C6.3
27483	TW 3	25	C6.3
27484	TW 4	25	C6.3
27485	TW 5	25	C6.3

1/4" Adapters



DIN ISO1173

ITEM NO.	○	mm	1/4" drive ⬣
26298	1/4"	25	C6.3
26398	1/4"	50	C6.3

Double-ended bits



ITEM NO.	⊕	⊕	mm	1/4" drive ⬣
29010	PH 1	PZ 1	60	6.3 mm
29011	PH 2	PZ 2	60	6.3 mm
29012	PH 3	PZ 3	60	6.3 mm



ITEM NO.	⊕	⊖ mm	mm	1/4" drive ⬣
29001	PH 1	0.6 x 4.5	60	6.3 mm
29002	PH 2	0.8 x 5.5	60	6.3 mm
29003	PH 3	1.0 x 6.0	60	6.3 mm



ITEM NO.	⊕	⊖ mm	mm	1/4" drive ⬣
29004	PZ 1	0.6 x 4.5	60	6.3 mm
29005	PZ 2	0.8 x 5.5	60	6.3 mm
29006	PZ 3	1.0 x 6.0	60	6.3 mm



ITEM NO.	⊖ mm	⊖ mm	mm	1/4" drive ⬣
29007	0.5 x 3.0	0.6 x 4.5	60	6.3 mm
29008	0.8 x 5.5	1.0 x 6.0	60	6.3 mm
29009	1.2 x 6.5	1.6 x 8.0	60	6.3 mm



ITEM NO.	✪	✪	mm	1/4" drive
29016	T 10	T 15	60	6.3 mm
29017	T 20	T 25	60	6.3 mm
29018	T 30	T 40	60	6.3 mm

PH
for PHILLIPS recess screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26720	PH 1	25	C6.3
26721	PH 2	25	C6.3
26722	PH 3	25	C6.3



Article may deviate from illustration

PZ
for POZIDRIV screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26716	PZ 1	25	C6.3
26717	PZ 2	25	C6.3
26718	PZ 3	25	C6.3



Article may deviate from illustration

TORX®

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26810	T 10	25	C6.3
26811	T 15	25	C6.3
26812	T 20	25	C6.3
26813	T 25	25	C6.3
26817	T 27	25	C6.3
26814	T 30	25	C6.3
26815	T 40	25	C6.3



Article may deviate from illustration

PH BITLFEX
for PHILLIPS recess screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26771	PH 1	25	6.3 mm
26772	PH 2	25	6.3 mm
26773	PH 3	25	6.3 mm



Article may deviate from illustration

PZ BITFLEX
for POZIDRIV screws

2 unit on a blister card

ITEM NO.		mm	1/4" drive
26801	PZ 1	25	6.3 mm
26802	PZ 2	25	6.3 mm
26803	PZ 3	25	6.3 mm



Article may deviate from illustration

PH
for PHILLIPS recess screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427020	PH 1	25	25	C6,3
427021	PH 2	25	25	C6,3
427022	PH 3	15	25	C6,3



Article may deviate from illustration

PZ
for POZIDRIV screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427045	PZ 1	25	25	C6,3
427046	PZ 2	25	25	C6,3
427047	PZ 3	15	25	C6,3



Article may deviate from illustration

TORX®

in plastic case

ITEM NO.		Qty	mm	1/4" drive
429503	T 10	5	25	C6,3
429504	T 15	5	25	C6,3
429505	T 20	5	25	C6,3
429506	T 25	5	25	C6,3
429507	T 27	5	25	C6,3
429508	T 30	5	25	C6,3
429509	T 40	5	25	C6,3



Article may deviate from illustration

PH BITLFEX
for PHILLIPS recess screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
428022	PH 2	25	25	C6,3



Article may deviate from illustration

PZ BITFLEX
for POZIDRIV screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
428046	PZ 2	25	25	6,3 mm
428047	PZ 3	15	25	6,3 mm



Article may deviate from illustration

PH – 50 mm
for PHILLIPS recess screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427520	PH 1	10	50	E6,3
427521	PH 2	10	50	E6,3
427522	PH 3	10	50	E6,3



Article may deviate from illustration

PZ – 50 mm
for POZIDRIV screws

in plastic case

ITEM NO.		Qty	mm	1/4" drive
427545	PZ 1	10	50	E6,3
427546	PZ 2	10	50	E6,3
427547	PZ 3	10	50	E6,3



Article may deviate from illustration

TORX® – 50 mm

in plastic case

ITEM NO.		Qty	mm	1/4" drive
429603	T 10	5	50	E6,3
429604	T 15	5	50	E6,3
429605	T 20	5	50	E6,3
429606	T 25	5	50	E6,3
429607	T 27	5	50	E6,3
429608	T 30	5	50	E6,3
429609	T 40	5	50	E6,3



Article may deviate from illustration

Bitholders

With permanent magnet



ITEM NO.	Drive	mm
26006	1/4" ⬣ E6.3 DIN 3126 Universal without snap ring	60



ITEM NO.	Drive	mm
26001	1/4" ⬣ E6.3 DIN 3126 Universal with snap ring	75
26014	Universal with snap ring	150
26024	Universal with snap ring	200



ITEM NO.	Drive	mm
26294	1/4" ⬣ E6.3 DIN 3126 Universal with quick-action chuck and snap ring	60



ITEM NO.	Drive	mm
28310	1/4" ⬣ E6.3 DIN 3126 Depth stop with magnetic retainer function, without snap ring	60



ITEM NO.	Drive	mm
26002	5.5 mm ⬣ A5.5 DIN 3126 with snap ring	79



ITEM NO.	Drive	mm
26003	7.0 mm ⬣ G7 DIN 3126 with snap ring	77



ITEM NO.	Drive	mm
26005	11.0 mm with snap ring	82



ITEM NO.	Drive	mm
26009	SDS plus 10.0 mm SDS plus with snap ring	78

Magnetic holders

1 unit on a blister card

ITEM NO.			mm	1/4" drive ⬣
26704		26294	60	E6.3 DIN 3126
28319		28310	60	E6.3 DIN 3126
26703		26006	60	E6.3 DIN 3126
26010		26001	75	E6.3 DIN 3126




Article may deviate from illustration

429702 Magnetic screw holders

in a plastic case

∅ mm	mm	Colour
4.5	21	
6.0	21	
8.0	21	





Article may deviate from illustration

RATCHDRIVE® INDUSTRY

Order no. 25101

Qty		ITEM NO.	Drive	mm	1/4" drive ⬣
1				60	E6,3
1		27020	PH 1	25	C6.3
1		27021	PH 2	25	C6.3
1		27022	PH 3	25	C6.3
1		27045	PZ 1	25	C6.3
1		27046	PZ 2	25	C6.3
1		27047	PZ 3	25	C6.3



Application see p. 183

RATCHDRIVE® INDUSTRY

Order no. 25102

Qty		ITEM NO.	Drive	mm	1/4" drive ⬣
1				60	E6,3
1		29503	T 10	25	C6.3
1		29504	T 15	25	C6.3
1		29505	T 20	25	C6.3
1		29506	T 25	25	C6.3
1		29508	T 30	25	C6.3
1		29509	T 40	25	C6.3



Application see p. 183

COMBIT-BOX® INDUSTRY, 7-pcs. set

12 Order no. 28551 Order no. 33400

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		27020	PH 1	25	C6.3
1		27021	PH 2	25	C6.3
1		27022	PH 3	25	C6.3
1		27045	PZ 1	25	C6.3
1		27046	PZ 2	25	C6.3
1		27047	PZ 3	25	C6.3



Application see p. 169

COMBIT-BOX® INDUSTRY, 7-pcs. set

12 Order no. 28552 Order no. 33401

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		29503	T 10	25	C6.3
1		29504	T 15	25	C6.3
1		29505	T 20	25	C6.3
1		29506	T 25	25	C6.3
1		29508	T 30	25	C6.3
1		29509	T 40	25	C6.3



Application see p. 169

COMBIT-BOX® INDUSTRY, 11-pcs. set

12 Order no. 28456 Order no. 28466

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		29503	T 10	25	C6.3
2		29504	T 15	25	C6.3
2		29505	T 20	25	C6.3
2		29506	T 25	25	C6.3
2		29508	T 30	25	C6.3
1		29509	T 40	25	C6.3



Application see p. 169

COMBIT-BOX® INDUSTRY, 11-pcs. set

12 Order no. 28457 Order no. 28467

Qty		ITEM NO.	Drive	mm	1/4" drive
1		26294		60	E6.3
1		29503	T 10	25	C6.3
1		29504	T 15	25	C6.3
1		29505	T 20	25	C6.3
1		29506	T 25	25	C6.3
1		29508	T 30	25	C6.3
1		29509	T 40	25	C6.3
1		27020	PH 1	25	C6.3
2		27021	PH 2	25	C6.3
1		27022	PH 3	25	C6.3



Application see p. 169



COMBIT-BOX® INDUSTRY, 11-pcs. set

Order no. 28458 | Order no. 28468

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	29503	T 10	25	C6.3
1	29504	T 15	25	C6.3
1	29505	T 20	25	C6.3
1	29506	T 25	25	C6.3
1	29508	T 30	25	C6.3
1	29509	T 40	25	C6.3
1	27045	PZ 1	25	C6.3
2	27046	PZ 2	25	C6.3
1	27047	PZ 3	25	C6.3



Application see p. 169

COMBIT-BOX® INDUSTRY, 11-pcs. set

Order no. 28454 | Order no. 28464

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	27020	PH 1	25	C6.3
2	27021	PH 2	25	C6.3
2	27022	PH 3	25	C6.3
2	27045	PZ 1	25	C6.3
2	27046	PZ 2	25	C6.3
1	27047	PZ 3	25	C6.3



Application see p. 169

COMBIT-BOX® INDUSTRY, 11-pcs. set

Order no. 28455 | Order no. 28465

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26294		60	E6.3
1	27020	PH 1	25	C6.3
2	27021	PH 2	25	C6.3
1	27022	PH 3	25	C6.3
1	27045	PZ 1	25	C6.3
2	27046	PZ 2	25	C6.3
1	27047	PZ 3	25	C6.3
1	26412	0.8 x 5.5	25	C6.3
1	26414	1.2 x 6.5	25	C6.3



Application see p. 169

31200 BITBOX 24-pcs. set

Bit and ratchet set

Qty	ITEM NO.	Drive	mm	1/4" drive
1			51	E6.3
1				
1	27020	PH 1	25	C6.3
3	27021	PH 2	25	C6.3
1	27022	PH 3	25	C6.3
1	27045	PZ 1	25	C6.3
3	27046	PZ 2	25	C6.3
1	27047	PZ 3	25	C6.3
1	29503	T 10	25	C6.3
1	29504	T 15	25	C6.3
1	29505	T 20	25	C6.3
1	29506	T 25	25	C6.3
1	29508	T 30	25	C6.3
1	29509	T 40	25	C6.3
1	26412	0.8 x 5.5	25	C6.3
1	26414	1.2 x 6.5	25	C6.3
1		8.0	25	C6.3
1		10.0	25	C6.3
1		13.0	25	C6.3
1			25	C6.3





312012 BITBOX 32-pcs. set

incl. 30 bits and a holder

Qty	ITEM NO.	Drive	mm	1/4" drive
1	26006		60	E6.3
1	27020	PH 1	25	C6.3
7	27021	PH 2	25	C6.3
1	27022	PH 3	25	C6.3
1	27045	PZ 1	25	C6.3
7	27046	PZ 2	25	C6.3
1	27047	PZ 3	25	C6.3
1	29503	T 10	25	C6.3
2	29504	T 15	25	C6.3
3	29505	T 20	25	C6.3
3	29506	T 25	25	C6.3
2	29508	T 30	25	C6.3
1	29509	T 40	25	C6.3
1	26298		25	C6.3



BITCOMMANDER



- Includes three high-quality sockets
- Robust, durable plastic housing
- Includes 1/4" reversible ratchet and convenient magnetic holder
- Up to 30 WITTE bits in one convenient set
- Compact storage – all present and correct



At a moment's notice
Bitcommander has a convenient clip – ideal for mobile work.



Magnetic insert
as convenient holder for bits and fasteners

The advantages

- High-quality and safe: robust plastic housing for longer service lifetimes
- Compact and tidy
- Comprehensive: all popular tool sizes included
- Mobile solution for easy transport – carry it with you

28035 BITCOMMANDER, 35-pcs. set

Qty	Drive		mm	1/4" drive
1			60	E6.3
1			95	
1			25	C6.3
2		PH1	25	C6.3
2		PH2	25	C6.3
2		PH3	25	C6.3
2		PZ1	25	C6.3
2		PZ2	25	C6.3
2		PZ3	25	C6.3
2		T10	25	C6.3
2		T15	25	C6.3
2		T20	25	C6.3
2		T25	25	C6.3
2		T30	25	C6.3
2		T40	25	C6.3
1		2.0	25	C6.3
1		3.0	25	C6.3
1		4.0	25	C6.3
1		5.0	25	C6.3
1		6.0	25	C6.3
1		8.0	25	C6.3
1		10.0	25	C6.3
1		13.0	25	C6.3



28020 BITCOMMANDER, 20-pcs. set

Qty	Drive		mm	1/4" drive
1			60	E6.3
1			95	
1			25	C6.3
1		PH1	25	C6.3
2		PH2	25	C6.3
1		PH3	25	C6.3
1		PZ1	25	C6.3
2		PZ2	25	C6.3
1		PZ3	25	C6.3
1		T10	25	C6.3
1		T15	25	C6.3
1		T20	25	C6.3
1		T25	25	C6.3
1		T30	25	C6.3
1		T40	25	C6.3
1		8.0	25	C6.3
1		10.0	25	C6.3
1		13.0	25	C6.3



PRO

Gift boxes



97024 Bottle-opener
in high-quality packaging

ITEM NO.	mm
97024	115 x 34



97023 Corkscrew
in high-quality packaging

ITEM NO.	mm
97023	95





97022 Duo gift box
Bottle-opener and corkscrew in high-quality packaging

ITEM NO.	mm	mm	mm	mm
97023			59	95
97024	43	115 x 34		





SOFT CASE

Sets




SETS



Always within reach
Thanks to the practical belt loop

Easy removal
Open belt pocket provides good retention but easy accessibility



Quick-access set
individual tool compilation in one compact set

Very hard-wearing
Thanks to high-grade materials and reinforced seams

Light and compact
Easy to stow, even where space is at a premium

Ergonomically designed, tidy arrangement
Optimum, fast removal of the tool needed



More than just a helpful aid
Durable, robust materials and heavy-duty zip

Versatile
Premium tools for a wide variety of applications

SET characteristics



Room for pliers and screwdrivers



Robust textile coupled with reinforced seams guarantee the wallet stands up to hard wear

The ideal companion for anyone who prefers not to carry a hard case or metal tool case around: WITTE sets in textile bags are light and easy to transport, but still provide ample protection for your tools. The combination of materials and the way they are processed guarantee impressive durability.

The advantages

- Safe: ample protection for your tools
- Mobile: low weight, less space required
- Resilient: thanks to robust materials and good craftsmanship in first-rate WITTE quality
- Flexible: available in a number of tool combinations for different fields of application
- High-quality WITTE tools, made in Germany

WITTE MINISET 1, 5-pcs. set
Order no. 301142

Material: polyester 1680D
Internal dimensions: 240 mm x 270 mm
Weight: 1000 g



	mm
SB 1.0 x 5.5 x 125	115 x 34
SB 1.2 x 6.5 x 125	115 x 34
PH 2 x 100	115 x 34

Side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm
Radio and telephone engineer's pliers MH 2.8 / H 1.8	200 mm

WITTE MEDISET 1, 11-pcs. set
Order no. 301212

Material: polyester 1680D
Internal dimensions: 280 mm x 310 mm
Weight: 2272 g



	mm
T 15 x 80	105 x 25
T 20 x 100	105 x 25
T 25 x 100	105 x 25
T 30 x 115	115 x 34
T 40 x 125	125 x 37

Side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm
Radio and telephone engineer's pliers MH 2.8 / H 1.8	200 mm
Slip-joint pliers R 1/8"–1 1/4" / S 6–38 mm	250 mm

Ratchdrive
PH 2, PH 3, PZ 2, PZ 3, SB 4.5, SB 5.5

Set of ball-end offset screwdrivers
1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0

Carpenter's wooden rule Joints with metal fittings	2000 mm

WITTE MINISET 3 VDE, 3-pcs. set
Order no. 301172

Material: polyester 1680D
Dimensions: 135 mm x 240 mm
Weight: 468 g



	mm
EL 0.8 x 4.0 x 100	105 x 25
PH 2 x 100	115 x 34

VDE multifunction side-cutters MH 3.5 / H 2.5 / P 2.0	180 mm

WITTE MINISET 4 VDE, 4-pcs. set
Order no. 301182

Material: polyester 1680D
Dimensions: 135 mm x 240 mm
Weight: 577 g



	mm
Voltage tester SB 3.0 x 65	88 x 21
EL 0.8 x 4.0 x 100	105 x 25
PH 2 x 100	115 x 34

VDE side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm

WITTE MINISET 1 VDE, 5-pcs. set
Order no. 301152

Material: polyester 1680D
Internal dimensions: 240 mm x 270 mm
Weight: 1049 g



	mm
EL 1.0 x 4.0 x 100	105 x 25
EL 0.8 x 5.5 x 125	115 x 34
PH 2 x 100	115 x 34

VDE side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm
Radio and telephone engineer's VDE pliers MH 2.8 / H 1.8	200 mm

WITTE MINISET 2 VDE Slim, 5-pcs. set
Order no. 301162

Material: polyester 1680D
Internal dimensions: 240 mm x 270 mm
Weight: 1040 g



	mm
EL 1.0 x 5.5 x 125 (slim)	115 x 34
Voltage tester SB 3.0 x 65	88 x 21
PH 2 x 100 (slim)	115 x 34

VDE side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm
Radio and telephone engineer's VDE pliers MH 2.8 / H 1.8	200 mm

WITTE MEDISET 1 VDE, 11-pcs. set
Order no. 301202

Material: polyester 1680D
Internal dimensions: 280 mm x 310 mm
Weight: 1912 g



	mm
EL 1.0 x 2.5 x 75	105 x 25
EL 0.8 x 4.0 x 100	105 x 25
EL 0.4 x 5.5 x 125	115 x 34
Voltage tester SB 3.0 x 65	88 x 21
PH 2 x 100	115 x 34
PZ 2 x 100	115 x 34

VDE side-cutters MH 3.0 / H 2.3 / P 1.6	160 mm
Radio and telephone engineer's VDE pliers MH 2.8 / H 1.8	200 mm
VDE wire stripper Ø 5 mm / 10 mm²	160 mm

Set of key wrenches
1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0

Carpenter's wooden rule Joints with metal fittings	2000 mm

WITTE MAXISET 1 VDE, 20-pcs. set
Order no. 301262

Material: polyester 1680D
Internal dimensions: 270 mm x 400 mm
Weight: 2625 g



	mm
EL 1.0 x 2.5 x 75	105 x 25
EL 0.8 x 4.0 x 100	105 x 25
EL 0.4 x 5.5 x 125	115 x 34
Voltage tester SB 3.0 x 65	88 x 21
PH 1 x 80	105 x 25
PH 2 x 100	115 x 34
PZ 1 x 80	105 x 25
PZ 2 x 100	115 x 34
T 10 x 100	105 x 25
T 15 x 100	105 x 25
T 20 x 75	105 x 25
T 25 x 60	105 x 25

VDE multifunction pliers MH 3.5 / H 2.5 / P 2.0	180 mm
Radio and telephone engineer's VDE pliers MH 2.8 / H 1.8	200 mm
VDE combination pliers MH 2.8 / H 2.5 / P 1.6	180 mm

Set of key wrenches
1.5-2.0-2.5-3.0-4.0-5.0-6.0-8.0-10.0

Switch-cabinet key

Propelling pencil with sharpener
Lead thickness 5.6 mm, clip and plunger made of metal

Carpenter's wooden rule Joints with metal fittings	2000 mm


Spirit level with 2 tubes	250 mm

POS

Displays and accessories



POS system, unassembled, RAL 9006
Order no. 46910, width 100 x height 220 cm, white aluminium, without light box



POS system, unassembled, RAL 9005
Order no. 46911, width 100 x height 220 cm, black, without light box




POS light box
Order no. 30301, width 98 x height 37 x depth 24.5 cm,
for inserting in the POS system, with insert sheet




POS magnetic film
Order no. 46912, width 100 x height 40 cm,
brand panel for the POS system



POS revolving sales stand, assembled, 3-sided
Order no. 46913, height 185 x depth 40 cm



POS hooks for perforated panels, zinc-plated (silver)
Order no. 85810, length 14 cm, packed in 10s



POS hooks for perforated panels, powder-coated (black)
Order no. 85820, length 14 cm, packed in 10s



POS double hooks for perforated panels, zinc-plated (silver)
Order no. 85830, length 10 cm, packed in 10s



POS double hooks for perforated panels, powder-coated (black)
Order no. 85840, length 10 cm, packed in 10s



POS perforated wall stand with 11 hooks for screwdrivers
Order no. 85800, width 50 x depth 36 cm, incl. brand panel,
without screwdrivers, black, other colours on request



Suggested configuration

POS perforated wall stand with 5 hooks for T-handles
Order no. 23820, width 50 x height 23 x depth 17 cm, incl. brand panel,
without screwdrivers, black, other colours on request



Suggested configuration

POS – Perforated wall stand for 125 screwdrivers
Order no. 22491, width 100 x depth 26 cm, incl. brand panel,
without screwdrivers



Suggested configuration

Header panel with supplementary 9-hook display
Order no. 26756, width 50 x depth 18 cm, without self-service boxes,
black, other colours on request

Supplementary 9-hook display
Order no. 26757, width 50 x depth 18 cm, black,
other colours on request



Suggested configuration

Header panel with supplementary 9-hook display
Order no. 26756, width 50 x depth 18 cm, without blister cards,
black, other colours on request

Supplementary 9-hook display
Order no. 26757, width 50 x depth 18 cm, black,
other colours on request



Suggested configuration

POS display for screwdrivers, 40 units,


Order no. 230008, sales display for sets, width 35 x height 63 x depth 35 cm,
incl. brand panel, without screwdrivers



Suggested configuration

POS display for screwdrivers, 55 units,

Order no. 230009, width 48 x height 44 x depth 26.5 cm,
incl. brand panel, without screwdrivers



Suggested configuration

POS display for screwdriver sets, 24 units,

Order no. 230006, width 37 x height 90 x depth 37 cm,
incl. brand panel, without screwdriver sets




Suggested configuration

POS counter display for bit boxes and self-service boxes, without content

Order no. 141172, width 27 x height 42 x depth 31 cm, without self-service boxes



Suggested configuration



Suggested configuration

Index of products

Item nos. from 967 to 691008

ITEM NO.	PAGE
967	20
969	50
22491	227
23820	226
24072	106
24083	106
24090	42
24856	106
24857	106
25101	203
25102	203
25103	173
25104	181
25105	181
26001	202
26002	202
26003	202
26005	202
26006	202
26009	202
26010	203
26014	202
26024	202
26231	196
26232	196
26233	196
26234	196
26235	196
26236	196
26237	196
26238	196
26239	196
26240	196
26241	196
26242	196
26243	196
26294	202
26298	197
26375	62
26398	197
26410	195
26411	195
26412	195
26413	195
26414	195
26415	195
26416	195
26431	177
26432	177
26434	177
26461	195
26462	195
26471	195
26472	195
26511	172
26512	172
26513	172
26521	172
26522	172
26523	172
26530	172
26531	172
26532	172
26533	172
26534	172
26535	172
26536	172
26630	185
26631	185
26632	185
26636	185
26637	185
26638	185
26661	178
26662	178
26663	178
26703	203
26704	203
26708	178
26716	198
26717	198
26718	198
26720	198
26721	198
26722	198
26756	227
26757	227
26771	199
26772	199
26773	199
26795	179
26796	179
26797	179
26801	199
26802	199
26803	199
26810	198
26811	198
26812	198
26813	198
26814	198
26815	198
26817	198
26825	179
26826	179
26827	179
26870	193
26871	193
26872	193
26873	193
26874	193
26875	193
26876	193
27012	192
27013	192
27018	192
27020	192
27021	192
27022	192
27023	192
27036	192
27043	191
27045	191
27046	191
27047	191
27048	191
27052	191
27053	191
27057	191
27080	196
27081	196
27082	196
27083	196
27084	196
27085	196
27086	196
27087	196
27091	195
27092	195
27093	195
27120	175
27121	175
27122	175
27123	175
27183	196
27184	196
27185	196
27186	196
27193	196
27194	196
27195	196
27196	196
27198	196
27245	175
27246	175
27247	175
27248	175
27320	177
27321	177
27322	177
27324	178
27326	178
27330	195
27331	195
27332	195
27333	195
27334	195
27335	195
27336	195
27337	195
27338	195
27339	195
27345	177
27346	177
27347	177
27391	185
27392	185
27393	185
27394	195
27395	195
27396	195
27397	195
27398	195
27414	195
27415	195
27416	195
27418	195
27450	192
27451	192
27452	192
27453	192
27454	192
27455	192
27456	192
27457	192
27458	192
27459	192
27460	192
27461	192
27462	192
27463	192
27464	192
27480	197
27481	197
27482	197
27483	197
27484	197
27485	197
27510	195
27511	195
27512	195
27513	195
27514	195
27515	195
27516	195
27520	192
27521	192
27522	192
27523	192
27531	177
27532	177
27534	177
27541	177
27542	177
27543	177
27545	191
27546	191
27547	191
27548	191
27551	177
27552	177
27553	177
27560	191
27561	191
27562	191
27563	191
27564	191
27565	191
27566	191
27567	191
27568	191
27569	191
27570	191
27571	191
27572	191
27573	191
27574	191
27591	195
27592	195
27593	195
27611	185
27612	185
27613	185
27801	192
27802	192
27803	192
27804	192
27811	191
27812	191
27813	191
27814	191
27820	193
27821	193
27822	193
27823	193
27824	193
27825	193
27827	193
27828	195
27829	195
27831	195
27832	195
27833	195
27834	195
27840	195
27841	195
27842	195
27843	195
27844	195
27845	195
27851	196
27852	196
27853	196
27854	196
27855	196
27856	196
27971	185
27972	185
27973	185
28011	185
28012	185
28013	185
28020	209
28021	192
28022	192
28023	192
28035	209
28045	191
28046	191
28047	191
28310	202
28319	203
28371	166
28372	166
28373	166
28374	166
28375	166
28376	166
28377	166
28378	166
28379	166
28380	166
28381	166
28421	177
28422	177
28423	177
28430	168
28445	177
28446	177
28447	177
28451	173
28452	186
28453	181
28454	206
28455	206
28456	205
28457	205
28458	206
28461	173
28462	186
28463	181
28464	206
28465	206
28466	205
28467	205
28468	206
28477	168
28478	168
28490	165
28491	165
28492	165
28493	165
28494	165
28501	171
28502	171
28503	171
28511	171
28512	171
28513	171
28520	165
28521	165
28522	165
28523	165
28524	165
28525	165
28530	171
28531	171
28532	171
28533	171
28534	171
28535	171
28536	171
28551	204
28552	204
28555	181
28556	173
28557	186
28570	168
28621	165
29001	197
29002	197
29003	197
29004	197
29005	197
29006	197
29007	197
29008	197
29009	197
29010	197
29011	197
29012	197
29016	197
29017	197
29018	197
29459	193
29460	193
29477	193
29478	193
29479	193
29480	193
29481	193
29482	193
29483	193
29484	193
29485	193
29486	193
29490	193
29495	193
29501	193
29502	193
29503	193
29504	193
29505	193
29506	193
29507	193
29508	193
29509	193
29513	178
29514	178
29515	178
29516	178
29517	178
29518	178
29519	178
29593	178
29594	178
29595	178
29596	178
29597	178
29598	178
29599	178
29603	193
29604	193
29605	193
29606	193
29607	193
29608	193
29609	193
29613	178
29614	178
29615	178
29616	178
29617	178
29618	178
29619	178
29671	193
29672	193
29673	193
29674	193
29675	193
29676	193
29677	193
29681	193
29682	193
29683	193
29684	193
29685	193
29686	193
29687	193
29691	193
29692	193
29693	193
29694	193
29695	193
29696	193
29697	193
30301	225
30680	195
30681	195
30682	195
30683	195
30684	195
30685	195
30691	192
30692	192
30693	192
30701	191
30702	191
30703	191
30753	196
30754	196
30755	196
30756	196
30758	196
30780	195
30781	195
30782	195
30783	195
30784	195
30785	195
30791	192
30792	192
30793	192
30801	191
30802	191
30803	191
31200	207
31500	146
31501	147
31502	148
31503	149
31504	150
31510	142
31511	143
31512	144
31520	158
31521	159
31522	160
31523	161
31530	154
31531	155
31532	156
31533	157
33000	168
33100	173
33200	181
33300	186
33400	204
33401	204
39400	134
39454	134
39455	134
39456	134
39457	134
39458	134
39459	134
39460	134
39461	134
39462	134
39463	134
39464	134
39465	134
39466	134
39467	134
39468	134
39469	134
42700	134
42702	134
42703	134
42704	134
42705	134
42706	134
42708	134
42710	134
42712	134
42715	134
42725	134
43000	134
43001	134
43002	134
43003	134
43004	134
43005	134
43006	134
43007	134
43008	134
43009	134
43010	134
43011	134
43012	134
43013	134
43014	134
43015	134
43016	134
43017	134
43018	134
43019	134
43020	134
43021	134
43022	134
43023	134
43024	134
43025	134
43026	134
43027	134
43028	134
43029	134
43030	134
43031	134
43100	134
43101	134
43102	134
43103	134
43104	134
43105	134
43106	134
43107	134
43108	134
43109	134
43110	134
43111	134
43112	134
43113	134
43114	134
43115	134
43116	134
43117	134
43118	134
43119	134
43120	134
43600	135
43601	135
43602	135
43603	135
43604	135
43605	135
43606	135
44440	139
45020	138
45021	138
45030	137
45031	137
45032	138
45034	139
45036	139
46910	224
46911	224
46912	225
46913	225
53010	16
53011	16
53012	16
53014	16
53015	16
53016	16
53020	16
53021	16
53022	16
53023	16
53024	16
53025	16
53026	16
53027	16
53030	16
53031	16
53032	16
53033	16
53034	16
53035	16
53036	16
53037	16
53038	16
53039	16
53040	17
53041	17
53042	17
53044	17
53045	17
53047	17
53048	17
53049	17
53050	18
53051	18
53052	18
53053	18
53054	18
53055	18
53060	18
53061	18
53062	18
53063	18
53070	18
53071	18
53072	18
53073	18
53074	18
53080	19
53081	19
53082	19
53083	19
53084	19
53085	19
53086	19
53091	19
53100	16
53101	16
53102	16
53103	16
53104	16
53105	16
53106	16
53107	16
53108	16
53109	16
53110	16
53111	16
53200	17
53201	17
53202	17
53203	17
53204	17
53205	17
53206	17
53207	17
53208	17
53209	17
53210	17
53211	17
53212	17
53213	17
53300	18
53303	18
53304	18
53305	18
53306	18
53307	18
53308	18
53309	18
53310	18
53311	18
53312	18
53313	18
53400	19
53401	19
53402	19
53403	19
53404	19
53405	19
53406	19
53407	19
53408	19
53409	19
53410	19
53411	19
53412	19
53413	19
53414	19
53415	19
53500	17
53501	17
53502	17
53503	17
53600	17
53601	17
53602	17
53603	17
53622	20
53700	32
53701	32
53702	32
53703	32
53704	32
53705	32
53706	32
53707	32
53708	32
53710	32
53711	32
53712	32
53713	32
53714	32
53720	32
53721	32
53722	32
53723	32
53724	32
53730	33
53731	33
53732	33
53733	33
53734	33
53735	33
53736	33
53737	33
53740	32
53741	32
53742	32
53750	33
53751	33
53752	33
53753	33
53754	33
53755	33
53756	33
53757	33
53760	32
53761	32
53762	32
53832	20
53900	38
53903	38
53904	38
53905	38
53906	38
53909	38
53910	38
53911	38
53912	38
53920	38
53921	38
53922	38
53940	38
53941	38
53942	38
53960	38
53961	38
53962	38
53970	39
53971	39
53972	39
54030	50
54032	50
54035	50
54040	50
54042	50
54045	50
54100	50
54103	50
54105	50
54107	50
54810	33
54811	33
54812	33
63010	26
63011	26
63012	26
63013	26
63014	26
63015	26
63020	26
63021	26
63022	26
63023	26
63024	26
63025	26
63026	26
63027	26
63030	26
63031	26
63032	26
63034	26
63035	26
63037	26
63038	26
63039	26
63040	27
63041	27
63042	27
63044	27
63045	27
63047	27
63048	27
63049	27
63050	28
63051	28
63052	28
63053	28
63054	28
63055	28
63060	28

Index of products

Item nos. from 967 to 691008

ITEM NO.	PAGE
63061	28
63062	28
63063	28
63080	29
63081	29
63082	29
63083	29
63084	29
63085	29
63086	29
63091	28
63100	26
63101	26
63102	26
63103	26
63104	26
63105	26
63106	26
63107	26
63108	26
63109	26
63110	26
63111	26
63115	26
63200	27
63201	27
63202	27
63210	27
63211	27
63212	27
63213	27
63300	28
63303	28
63304	28
63305	28
63306	28
63307	28
63308	28
63309	28
63310	28
63311	28
63312	28
63313	28
63400	28
63401	28
63402	28
63403	28
63404	28
63405	28
63406	28
63407	28
63408	28
63409	28
63410	28
63411	28
63412	28
63413	28
63414	28
63415	28
63500	27
63501	27
63502	27
63503	27
63600	27
63601	27
63602	27
63603	27
73020	46
73021	46
73023	46
73024	46
73025	46
73030	46
73032	46
73035	46
73038	46
73040	46
73042	46
73045	46
73048	46
73200	46
73206	46
73207	46
73208	46
73209	46
73211	46
73212	46
74050	78
74051	78
74052	78
74053	78
74054	78
74055	78
74056	78
74057	78
74058	78
74060	78
74061	78
74062	78
74063	78
74064	78
74065	78
74070	78
74071	78
74072	78
74073	78
74074	78
74075	78
74080	78
74081	78
74082	78
74083	79
74084	79
74085	79
74086	79
74087	79
74088	79
74089	79
74090	78
74091	78
74092	78
74180	79
74181	79
74182	79
74183	79
74184	79
74185	79
74186	79
74187	79
74188	79
76010	82
76012	82
76014	82
76015	82
76016	82
76017	82
76020	82
76022	82
76023	82
76025	82
76026	82
76030	82
76032	82
76033	82
76035	82
76036	82
81100	114
81102	114
81103	114
81104	114
81105	114
81106	114
81108	114
81110	114
81125	114
81200	115
81204	115
81205	115
81206	115
81207	115
81208	115
81209	115
81210	115
81211	115
81212	115
81213	115
81217	115
81245	115
81255	115
81400	115
81409	115
81410	115
81415	115
81420	115
81425	115
81427	115
81430	115
81440	115
81450	115
81600	114
81602	114
81603	114
81604	114
81605	114
81606	114
81608	114
81610	114
81625	114
81700	114
81709	114
81710	114
81715	114
81720	114
81725	114
81727	114
81730	114
81740	114
81750	114
82620	115
83800	74
83802	74
83803	74
83804	74
83805	74
83806	74
83807	74
83808	74
83900	74
83901	74
83902	74
83903	74
84000	74
84001	74
84002	74
84003	74
85540	102
85541	102
85543	102
85544	102
85800	226
85810	226
85830	226
86790	60
86791	60
86792	60
86793	60
86794	60
86795	60
86796	60
86797	60
86890	70
86893	70
86894	70
86895	70
86896	70
86897	70
86990	19
86991	19
86992	19
86993	19
87200	60
87201	60
87202	60
87203	60
87204	60
87205	60
87206	60
87207	60
87208	60
87209	60
87210	60
87211	60
87230	62
87231	62
87232	62
87233	62
87300	70
87303	70
87304	70
87305	70
87306	70
87307	70
87308	70
87309	70
87310	70
87311	70
89313	129
89321	120
89322	120
89323	120
89324	120
89325	120
89327	120
89341	121
89342	121
89343	121
89344	121
89345	121
89367	124
89368	124
89377	125
89378	125
89410	128
89412	128
89413	128
89414	128
89415	128
89416	128
89417	128
89418	128
89430	128
89432	128
89433	128
89434	128
89435	128
89450	128
89451	128
89452	128
89453	128
89454	128
89455	128
89456	128
89457	128
89458	128
89480	129
89487	129
89489	129
89490	129
89710	118
89711	118
89712	118
89713	118
89714	118
89715	118
89716	118
89717	118
89718	118
89719	118
89720	118
89721	118
89722	118
89723	118
89724	118
89730	118
89731	118
89732	118
89733	118
89734	118
89735	118
89740	118
89741	118
89742	118
89750	118
89751	118
89752	118
89753	118
89754	118
89755	118
89756	118
89757	118
89758	118
89760	119
89761	119
89762	119
89763	119
89764	119
89765	119
89766	119
89767	119
89770	119
89771	119
89772	119
89773	119
89774	119
89780	119
89781	119
89782	119
89783	119
89784	119
89785	119
89786	119
89787	119
89788	119
89789	119
89790	119
89791	119
89792	119
89793	119
89806	128
89920	124
89921	124
89922	124
89923	124
89924	124
89925	124
89926	124
89927	124
89930	124
89931	124
89932	124
89933	124
89934	124
89935	124
89940	124
89941	124
89942	124
92542	63
92551	63
93000	61
93001	61
93002	61
93003	61
94240	102
94241	102
94242	102
94243	102
94260	19
94261	19
94262	19
94350	62
94351	62
94352	62
94800	60
94801	60
94802	60
94803	60
94804	60
94805	60
94806	60
94807	60
94808	60
94809	60
94900	70
94902	70
94903	70
94904	70
94905	70
94906	70
94907	70
95190	62
95191	62
95192	62
95350	20
95351	20
95352	20
96500	110
96501	110
96502	110
96503	110
96504	110
96505	110
96506	110
96507	110
96508	110
96600	110
96601	110
96602	110
96603	110
96604	110
96700	110
96701	110
96702	110
96703	110
96704	110
97022	212
97023	212
97024	212
98700	61
98701	61
98702	61
98703	61
98704	61
98705	61
98706	61
98707	61
98708	61
98709	61
98710	61
98711	61
98712	61
98713	61
98714	61
98715	61
98800	62
98801	62
98802	62
98803	62
98804	62
98805	62
98806	62
98807	62
98900	61
98901	61
98902	61
98903	61
98904	61
98905	61
98906	61
98907	61
98908	61
98909	61
98910	61
98911	61
98912	61
98913	61
99000	71
99006	71
99007	71
99008	71
99009	71
99010	71
99011	71
99012	71
99013	71
99300	61
99303	61
99304	61
99305	61
99306	61
99307	61
99308	61
99309	61
99310	61
99311	61
99312	61
99313	61
99600	60
99601	60
99602	60
99603	60
99604	60
99605	60
99606	60
99607	201
99700	70
99702	70
99703	70
99704	70
99705	70
99706	70
99707	70
141172	229
230006	228
230008	228
230009	228
301142	218
301152	220
301162	220
301172	219
301182	219
301202	221
301212	218
301262	221
301272	99
301282	99
312012	207
427020	200
427021	200
427022	200
427045	200
427046	200
427047	200
427320	179
427321	179
427322	179
427345	179
427346	179
427347	179
427520	201
427521	201
427522	201
427542	180
427545	201
427546	201
427547	201
427552	180
428022	200
428046	201
428047	201
428422	180
428446	180
428550	167
428551	167
428552	167
428553	167
428554	167
428555	167
428556	167
428557	167
428558	167
428559	167
428560	167
429503	200
429504	200
429505	200
429506	200
429507	200
429508	200
429509	200
429603	201
429604	201
429605	201
429606	201
429607	201
429608	201
429609	201
429702	203
468010	99
468015	99
468016	99
468017	99
468018	99
468019	99
468020	99
468021	91
468022	91
468023	87
468024	87
620302	111
620303	111
620306	111
620326	111
620327	111
620400	111
653726	23
653741	34
653742	34
653744	34
653749	34
653754	23
653771	39
653772	39
653773	39
653774	39
653832	23
653833	23
653863	23
653864	23
653865	23
653866	23
653867	23
653868	23
653980	23
654005	54
654865	51
654866	51
663723	29
663863	29
663864	29
663865	29
663870	29
663886	29
663980	29
670001	47
670002	47
670006	47
670007	47
670008	47
670022	79
670023	79
670024	79
670025	79
670030	65
670031	65
670032	65
670033	65
670034	65
670037	65
670038	65
670039	65
670040	65
670060	71
670063	71
670064	71
670067	71
670069	71
670070	71
670080	83
670081	83
670082	83
670083	83
670094	74
670095	74
691008	20

Key word index

From A to Z

MAXX
PRO

A

Adapters **202, 203**
Allen keys see p. 239
Allen keys 132
Allen keys, sets of 134
Allen keys, sets of 137 et seq.
Awls 20, **63**

B

Ball-end bits see p. 239
Ball-end key wrenches see p. 239
Ball-end screwdrivers see p. 239
Ball-end sets of key wrenches see p. 239
Bit boxes 167, 179, 180, **200, 201**
Bitholders see p. 239
Bitholders for drills see p. 239
BITCOMMANDER **208**
BITDRIVE® 84
BITDRIVE® RATCHET 88
BITDRIVE® TORQUE 92
BITDRIVE® TORQUE VDE 96
Bits 164, **188**
Bits, Diamond 184
Bits, Extra hard 174
Bits, impact 164
Bits, industry 188
Bits, PRO Bitflex 191, 192
Bits, stainless 170
Bits, TiN 176
Blister card 166, 172, 178, 179, 185, **198, 199, 203**
Bottle opener 20, 50, **63**

C

Carburettor screwdrivers 19, 20, **62**
COMBIT box, diamond 186
COMBIT box, impact 168
COMBIT box, industry **204, 205, 206**
COMBIT box, stainless 173
COMBIT box, TIN 181
Cork screwdriver 48
Cork screwdriver sets 51
Corkscrew **212**
Cruciform bits see p. 239
Cruciform screwdrivers see p. 239

D

Diamond bits 184
Double-ended bits **197**
DRY WALL bit, IMPACT 165

E

Electrician's screwdrivers 16, 26, **60, 70**
Electronics screwdrivers 30, 36, **76, 80 96**
Electronics sets of screwdrivers 34, 39, **79, 83**
ESD screwdrivers **100**
ESD WITTRON® **126**
Extra hard bits 174

F

Five-star bits see p. 239
Four-sided awls 20, **63**

G

Gift boxes **212**

H

Hex screwdrivers see p. 239
Holders **202, 203**

I

Impact bit DRY WALL 165
Impact bits 164
Impact cap screwdrivers **72, 108**
Impact screwdriver **72**
Impact sets of screwdrivers **74**
Industry bits **188**
Insulated screwdrivers 30, 36, **76, 80**
Internal hex drive bits see p. 239
Internal hex drive key wrenches see p. 239
Internal hex drive screwdrivers see p. 239
Internal square drive bits see p. 239
Internal square drive screwdrivers see p. 239

M

Magnetic holders **202, 203**
Magnetic screw holders **203**
Male hex bits see p. 239
Male hex screwdrivers see p. 239
MAXX bottle-opener 14
MAXX ESD screwdrivers 100
MAXX heavy-duty combination pliers 144
MAXX heavy-duty side-cutters 143
MAXX heavy-duty telephone engineer's pliers 142
MAXX Plus screwdrivers 24
MAXX Plus sets of screwdrivers 29
MAXX screwdrivers 20
MAXX sets of screwdrivers 23
MAXX VDE cable shears 150
MAXX VDE heavy-duty combination pliers 149
MAXX VDE heavy-duty side-cutters 148
MAXX VDE heavy-duty telephone eng. pliers 146
MAXX VDE multifunction side-cutters 147
MAXX VDE screwdrivers 30
MAXX VDE sets of screwdrivers 34
MAXX VDE Slim screwdrivers 36
MAXX VDE Slim sets of screwdrivers 36
MAXX voltage testers 40
MAXX Women Line 52
MAXXPRO Nature screwdrivers 48
MAXXPRO Nature sets of screwdrivers 51
MAXXPRO stainless screwdrivers 44
MAXXPRO stainless sets of screwdrivers 47
MODUL bits see p. 239
MODUL screwdrivers see p. 239

N

Nutdrivers see p. 239
Nutdrivers see p. 239
Nutdrivers, flexible see p. 239

P

PH bits see p. 239
PH Phillips screwdrivers see p. 239
PH Phillips screwdrivers with hex bolster 17, 27, 74
Picks & hooks 20

P

Pliers & cutters
- Combination plier **156**
- Heavy-duty combination plier 144
- Heavy-duty side-cutter 143
- Heavy-duty telephone engineer's plier 142
- Side-cutter **155**
- Telephone engineer's plier **154**
- VDE cable shear 150
- VDE combination plier **159**
- VDE heavy-duty combination plier 149
- VDE heavy-duty side-cutter 143
- VDE heavy-duty telephone eng. plier 142
- VDE multifunction side-cutter 147
- VDE radio and telephone engineer's plier **158**
- VDE side-cutter **161**
- VDE wire-stripper **160**
- Water pump plier **157**

POS displays and accessories **222**
- Counter display **229**
- Displays **228**
- displays and accessories **224**
- Header panel with supplementary display **227**
- Hooks for perforated panels **226**
- Light box **225**
- Magnetic film **225**
- Perforated wall displays **226**
- Revolving sales stand **225**
- Supplementary displays **227**
- Systems **224**

PRO bit box **207**
PRO BITDRIVE® 63
PRO BITDRIVE® RATCHET 84
PRO BITDRIVE® TORQUE 88
PRO BITDRIVE® TORQUE VDE 92
PRO bits **188**
PRO bottle-opener 96
PRO combination pliers **156**
PRO impact screwdrivers **72**
PRO impact sets of screwdrivers **74**
PRO Nature screwdrivers 108
PRO Nature sets of screwdrivers 111
PRO Plus screwdrivers **68**
PRO Plus sets of screwdrivers **71**
PRO radio & telephone engineer's pliers **154**
PRO screwdrivers **58**
PRO sets of screwdrivers **65**
PRO side-cutters **155**
PRO slip-joint pliers **157**
PRO T-handles **112**
PRO VDE combination pliers **159**
PRO VDE radio & telephone engineer's pliers **158**
PRO VDE screwdrivers **76**
PRO VDE sets of screwdrivers **79**
PRO VDE side-cutters 161
PRO VDE Slim screwdrivers **80**
PRO VDE Slim sets of screwdrivers **83**
PRO VDE wire-strippers **160**
PRO voltage testers **104**
PRO Wittron ESD screwdrivers **126**
PRO Wittron ESD sets of screwdrivers **129**
PRO Wittron screwdrivers **116**
PRO Wittron sets of screwdrivers **120, 121**
PRO Wittron VDE screwdrivers **122**
PRO Wittron VDE sets of screwdrivers **124, 125**

P

PZ bits see p. 239
PZ Pozidriv screwdrivers see p. 239
PZ Pozidriv screwdrivers with hex bolster 17, 27, **74**

R

Ratchdrive Diamond 186
Ratchdrive Industry 203
Ratchdrive Stainless 173
Ratchdrive TiN **181**

S

Slotted bits see p. 239
Slotted screwdrivers see p. 239
Soft case sets **214**
Square bits see p. 239
Square screwdrivers see p. 239
Stainless bits see p. 239
Stainless steel bits 170
Stainless steel screwdrivers 44
Stainless steel sets of screwdrivers 47
Stubby (carburettor) screwdrivers 19, 20, **62**

T

T-bars **112**
TIN bits 176
Torq-Set bits see p. 239
TORX® bits see p. 239
TORX® key wrenches see p. 239
TORX® key wrenches, sets of 138, 139
TORX® screwdrivers see p. 239
TORX® sets of screwdrivers 23, 29, 47, 65, 71, 120, 121, 124, 125, 138, 139
TORX® TR bits see p. 239
TORX® TR screwdrivers see p. 239
TORX® TR screwdrivers, sets of 23, 29, **65**
TRI-WING bits see p. 239
TRI-WING screwdrivers see p. 239

U

Universal holders **202, 203**

V

VDE screwdrivers 30, 36, **76, 80 96**
VDE sets of screwdrivers 34, 39, **79, 83 126**
VDE WITTRON® 40, **104**
Voltage testers

W

Women Line 52
Wooden-handled screwdrivers **108**
Wooden-handled sets of screwdrivers **111**
Workshop screwdrivers 16, 26, 50, **60, 70, 74, 102, 110**
Workshop screwdrivers with hex bolster 16, 26, **74**

X

XZN triple-square bits see p. 239
XZN triple-square key wrenches see p. 239

Fastener assignment

of WITTE screwdrivers to screw types

Slotted screws

a x b (DIN 5264)	Countersunk screws			Raised countersunk screws			Cheesehead screws	Panhead screws				Mushroom head screws	Grub screws	
	Metric ISO 2009	Steel sheet ISO 1482	Wood DIN 97	Metric ISO 2010	Steel sheet ISO 1483	Wood DIN 95	Metric ISO 1207	Metric ISO 1580	Metric DIN 920	Metric DIN 921	Steel sheet ISO 1481	Wood DIN 96	DIN EN 24766 27435	DIN 427
0.4 x 2			1.6			1.6						1.6	3	2.5
0.4 x 2.5	1.6		2	1.6			1.6	1.6	2.5	1.6			3.5	3
0.5 x 3	2	2.2		2	2.2	2	2	2	3		2.2	2		3.5
0.5 x 4*)									3.5	2			4	
0.6 x 3.5	2.5		2.5	2.5		2.5	2.5					2.5		4
0.6 x 4.5*)								2.5	4	2.5			5	
0.8 x 4	3	2.9	3 / 3.5	3	2.9	3 / 3.5	3	3			2.9	3	6	5
0.8 x 5.5*									5	3 / 3.5		3.5		
1 x 5.5	3.5	3.5	4 / 4.5	3.5	3.5	4 / 4.5	3.5	3.5	6	4	3.5	4 / 4.5	8	6
1.2 x 6.5	4 / 5	4.2 / 4.8	5 / 5.5	4 / 5	4.2 / 4.8	5	4	4			4.2			8
1.2 x 8						5.5	5		8	5	4.8	5 / 5.5		
1.6 x 8	6	5.5 / 6.3	6 / 7	6	5.5 / 6.3	6 / 7	6	6	10			6	10 / 12	10
1.6 x 10			10			8		6	10	6	5.5 / 6.3	7		12
2 x 12	8	8	1	8	8		8	8		8	8	8		14
2.5 x 14	10	9.5		10	9.5		10	10		10	9.5			16 / 18 / 20

PHILLIPS recess

ISO 8764	Metric ISO 2009	Metric ISO 1482	Metric DIN 97	Self-tapping screws ISO 2010	Self-tapping screws ISO 1483	Woodscrews DIN 95	Woodscrews ISO 1207	Woodscrews ISO 1207
Size 0	1.6	1.6	1.6	2.2	2.2		2	
	2	2	1.8					
Size 1	2.5	2.5	2	2.9	2.9	2.5	2.5	2.5
	3	3	2.5			3	3	3
			3					
Size 2	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
	4	4	4	4.2	4.2	4	4	4
	5	5	5	4.8	4.8	4.5	4.5	4.5
						5	5	5
Size 3	6	6	6	5.5	5.5	5.5	5.5	5.5
				6.3	6.3	6	6	6
						7	7	7
Size 4	8	8	8	8	8	8	8	8
	10	10	10	9.5	9.5			

SUPADRIV / POZIDRIV

ISO 8764	Metric ISO 2009	Metric ISO 1482	Metric DIN 97	Self-tapping screws ISO 2010	Self-tapping screws ISO 1483	Woodscrews DIN 95	Woodscrews ISO 1207	Woodscrews ISO 1207
Size 0	1.6	1.6	1.6	2.2	2.2		2	
	2	2	1.8					
Size 1	2.5	2.5	2	2.9	2.9	2.5	2.5	2.5
	3	3	2.5			3	3	3
Size 2	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
	4	4	4	4.2	4.2	4	4	4
	5	5	5	4.8	4.8	4.5	4.5	4.5
						5	5	5
Size 3	6	6	6	5.5	5.5	5.5	5.5	5.5
				6.3	6.3	6	6	6
						7	7	7
Size 4	8	8	8	8	8	8	8	8
	10	10	10	9.5	9.5			

Internal hex

Size	Metric screws DIN 908	Metric screws *DIN 912	Metric screws DIN 7984	Metric screws ISO 7991	Grub screws *DIN 913 / 916	Grub screws *DIN 914	Grub screws *DIN 915
1.5		1.6					
		2			3	3	3
2		2.5	3	3	4	4	4
2.5		3	4	4	5	5	5
3		4	5	5	6	6	6
4		5	6	6	8	8	8
5	10	6	8	8	10	10	10
6	12	8		10	12	12	12
	14				14	14	14
8	16 / 18	10	12	12	16	16	16
10	20 / 22	12	14	14	18	18	18
				16	20	20	20
12	24	14	16	18	22	22	22
	26		18	20	24	24	24

External hex

Size	Metric screws DIN 931	Metric screws DIN 933	Self-tapping screws DIN 7976	Wood screws DIN 571
3.5				
4	2	2		
4.5				
5	2.5	2.5		2.9
5.5	3	3		3.5
6	3.5	3.5		
7	4	4	4	3.9
				4.2
8	5	5	5	4.8
				5.5
9				
10	6	6	6	6.3
11	7	7		
12			7	
13	8	8	8	8
14				

Internal TORX®

TORX sizes		Metric screws DIN 912	Metric screws DIN 965	Metric screws DIN 966	Metric screws DIN 7984 6912	Metric screws DIN 7984	Metric screws DIN 7991	Self-tapping screws DIN 7981	Self-tapping screws DIN 7982	Self-tapping screws DIN 7983
T5	1.42	1.4 / 1.6	1.8		1.4 / 1.6	1.4 / 1.6	*	*	*	*
T6	1.70	1.3 / 2	2	*	1.3 / 2	1.3 / 2	*	*	*	*
T7	1.99	*	*	*	*	*	*	*	*	*
T8	2.31	2.5	2.5	2.5	2.5	2.5	2.5	2.9	2.9	2.9
T9	2.50							2.9		
T10	2.74	3	3	3	3	3	3	3.5	3.5	3.5
T15	3.27	3.5	3.5	3.5	3.5	3.5		3.9	3.9	3.9
T20	3.86		4	4		4	4	4.2	4.2	4.2
T25	4.43	4	5	5	4	5	5	4.8 / 5.5	4.8 / 5.5	4.8 / 5.5
T27	4.99	4.3 / 5	**	**	4.3 / 5	**	**	**	**	**
T30	5.52	6	6	6	6	6	6	6.3	6.3	6.3
T40	6.65	8	8	8	8	8	8	8		
T45	7.82	**	**	**	**	**	**	**	**	**
T50	8.83	10	10	10	10	10	10	10		
T55	11.22	12			12			12		
T60	13.25	14			14					

* Special screws M 1.6 – 2.0 for reversible tungsten carbide tips

** Special screws













PROFIL FINDER

	Slotted	PH	PZ	MODUL PH	MODUL PZ	TORX®	TORX® TR	External hex	Sockets	Bitholders	Internal hex drive	Ball-end	Square drive	Awls	Adapters	TRI-WING	TORQ-SET	XZN triple-square	Five star	Spanner, snake-eye
MAXX	16	16	17			17	18		19	19		18	18	20		18			18	
MAXX Plus	26	26	27			27	28		28			28	28						28	
MAXX VDE	32	32	32	32	32	33			33				33							
MAXX VDE Slim	38	38	38	38	38								38							
MAXX voltage tester	43																			
MAXXPRO Stainless	46	46	46			46														
MAXXPRO Nature	50	50	50																	
MAXXPRO Women Line	54	54	54																	
PRO	60	60	60			61	61		61	62			61	63						
PRO Plus	70	70	70			71														
PRO Impact	74	74	74																	
PRO VDE	78	78	78	78	78	79			79											
PRO VDE Slim	82	82	82	82	82															
BITDRIVE®		87	87			87														
BITDRIVE® RATCHET		91	91			91														
BITDRIVE® TORQUE																				
BITDRIVE® TORQUE VDE	99	99																		
PRO ESD	102	102																		
PRO voltage testers	106																			
PRO Nature	110	110	110																	
PRO T-bars						114			115	115	114									
PRO WITTRON®	118	118	118			118			119	119	119	119								
PRO WITTRON® VDE	124	124				124														
PRO WITTRON®ESD	128	128				128			128											
PRO Allen keys						134			134									135		
MAXX Impact		165	165			165														
MAXX Stainless		171	171			171														
MAXX Extra hard		175	175																	
MAXX TiN	177	177	177			178	178													
MAXX Diamond		185	185																	
PRO bits	194	192	191	195	195	193	193	196			196	196	195		197	196	195	195	193	194



As at 03/2020

Our general terms & conditions are deemed to apply.
These can be found on our website: www.wittetools.com

KIRCHHOFF Witte GmbH
Feldmühlenstr. 51 · 58093 Hagen · Germany
www.wittetools.com · info@wittetools.com

MADE IN GERMANY
SINCE 1785.

WITTE